

Printing date 20.12.2023 Version number 2.2 (replaces version 2.0) Revision: 20.12.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Concrete Oil clear

Article number: 610 satin

1.2 Relevant identified uses of the substance or mixture

and uses advised against No further relevant information available.

Application of the substance

/ the mixture Paint

Coating compound/ Surface coating/ paint

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: Osmo Holz und Color GmbH & Co. KG

Affhüppen Esch 12 D-48231 Warendorf

Germany

Further information

obtainable from: Product safety department

Tel.: +49 (0) 251 / 692 - 188 Fax: +49 (0) 251 / 692 - 462 e-mail: helmut.starp@osmo.de

1.4 Emergency telephone

number: emergency phone no. Berlin (24h): +49 (0) 30 / 30686 790 advisory service in

German and English

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to

Regulation (EC) No 1272/2008 The product is not classified, according to the CLP regulation. **Additional information:**For the wording of the listed hazard phrases refer to section 16.

2.2 Label elements

Hazard pictogramsVoidSignal wordVoidHazard statementsVoid

Precautionary statements P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P262 Do not get in eyes, on skin, or on clothing.
P271 Use only outdoors or in a well-ventilated area.

Additional information: EUH210 Safety data sheet available on request.

2.3 Other hazards Warning:

Wash out any used cloth impregnated with this product immediately after use

or store in an airtight container (danger of self-ignition)

Always wear a dust mask when sanding.

Observe the general safety regulations when handling chemicals.

(Contd. on page 2)



Printing date 20.12.2023 Version number 2.2 (replaces version 2.0) Revision: 20.12.2023

Trade name: Concrete Oil clear

(Contd. of page 1)

Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:

EC number: 918-481-9

CAS: 64742-48-9 aliphatic hydrocarbons, C10-C13

& Asp. Tox. 1, H304, EUH066 25-

25-50%

SVHC Not applicable.

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: Take affected persons out into the fresh air.

After inhalation: Supply fresh air; consult doctor in case of complaints.

In case of unconsciousness place patient stably in side position for

transportation.

After skin contact: Immediately wash with water and soap and rinse thoroughly.

If skin irritation or rash occurs: Get medical advice/attention.

After eye contact: Rinse opened eye for several minutes under running water. If symptoms

persist, consult a doctor.

After swallowing: If swallowed, seek medical advice immediately and show this container or

label

Do NOT induce vomiting.

4.2 Most important symptoms

and effects, both acute and

delayed Headache Dizziness

4.3 Indication of any

immediate medical attention

and special treatment needed If swallowed or in case of vomiting, danger of entering the lungs.

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing

agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol

resistant foam.

(Contd. on page 3)



Printing date 20.12.2023 Version number 2.2 (replaces version 2.0) Revision: 20.12.2023

Trade name: Concrete Oil clear

(Contd. of page 2)

For safety reasons unsuitable

extinguishing agents: None known.

5.2 Special hazards arising from the substance or

mixture Formation of toxic gases is possible during heating or in case of fire.

Carbon monoxide (CO) carbon dioxide (CO2)

5.3 Advice for firefighters

Protective equipment: Mouth respiratory protective device.

Do not inhale explosion gases or combustion gases. Wear self-contained respiratory protective device.

General measures for chemical fires.

Additional information Dispose of fire debris and contaminated fire fighting water in accordance with

official regulations.

Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and

emergency procedures Ensure adequate ventilation

Keep away from ignition sources.

Wear protective clothing.

For non-emergency

personnel

No action shall be taken involving any personal risk or without suitable training.

For emergency responders

6.2 Environmental

Wear protective equipment. Keep unprotected persons away.

precautions: Inform respective authorities in case of seepage into water course or sewage

system.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for

containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal

binders).

Dispose of the material collected according to regulations.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Warm water and cleansing agent

6.4 Reference to other

sections See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Contd. on page 4)

Safety data sheet



according to 1907/2006/EC, Article 31

Printing date 20.12.2023 Version number 2.2 (replaces version 2.0) Revision: 20.12.2023

Trade name: Concrete Oil clear

(Contd. of page 3)

SECTION 7: Handling and storage

7.1 Precautions for safe

handling Use only in well ventilated areas.

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols

General protective and

hygienic measures: Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Do not eat, drink, smoke or sniff while working.

Do not carry product impregnated cleaning cloths in trouser pockets.

Information about fire - and

explosion protection: Keep respiratory protective device available.

Handling: Even a small sip can lead to life-threatening damage to the lungs. Keep rags

filled with this liquid out of the reach of children.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by

storerooms and receptacles: Store only in the original receptacle.

Information about storage in

one common storage facility: Not required.

Further information about

storage conditions: Protect from frost.

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Storage class:

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

64742-48-9 aliphatic hydrocarbons, C10-C13

TWA Short-term value: 1200 mg/m³

CEFIC-HSPA

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls Appropriate engineering

controls Ensure good ventilation/exhaustion at the workplace.

(Contd. on page 5)



Printing date 20.12.2023 Version number 2.2 (replaces version 2.0) Revision: 20.12.2023

Trade name: Concrete Oil clear

(Contd. of page 4)

Individual protection measures, such as personal protective equipment

General protective and

hygienic measures: Keep away from foodstuffs, beverages and feed.

Avoid contact with the eyes and skin. Do not inhale gases / fumes / aerosols.

The usual precautionary measures are to be adhered to when handling

chemicals.

Do not eat, drink, smoke or sniff while working.

Do not carry product impregnated cleaning cloths in trouser pockets.

See Section 7 for information on safe handling.

Respiratory protection: Not necessary if room is well-ventilated.

Use suitable respiratory protective device only when aerosol or mist is formed. In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective

device.

Half mask with round thread connection EN 148-1 (screw-on filter) and

combination filter A1 - P2 according to German DIN EN 14387.

Use a properly fitted, air-purifying or air-fed repirator complying with an approved standard if a risk assessment indicates this is necessary.

Hand protectionTo avoid skin problems reduce the wearing of gloves to the required minimum.

Protective gloves

The glove material has to be impermeable and resistant to the product/ the

substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates

of diffusion and the degradation

Material of gloves The selection of the suitable gloves does not only depend on the material, but

also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be

checked prior to the application.

Penetration time of glove

material

The exact break trough time has to be found out by the manufacturer of the

protective gloves and has to be observed.

For the permanent contact gloves made of the following

materials are suitable: For the mixture of chemicals mentioned below the penetration time has to be

at least 480 minutes (Permeation according to EN 16523-1:2015: Level 6).

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.4 mm

For the mixture the penetration time has to be at least 480 minutes

(Permeation according to EN 374 Part 3: Level 6).

As protection from splashes gloves made of the following

materials are suitable: Nitrile rubber, NBR

(Contd. on page 6)



Printing date 20.12.2023 Version number 2.2 (replaces version 2.0) Revision: 20.12.2023

Trade name: Concrete Oil clear

(Contd. of page 5)

Eye/face protection If risk of splashing:

Safety glasses according to EN 166:2001 (e.g. densely closing frame glasses

with side protection)

Tightly sealed goggles

Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical stateFluidColour:YellowishOdour:Mild

Odour threshold:Not determined.Melting point/freezing point:Undetermined.

Boiling point or initial boiling point and boiling

rangeUndetermined.FlammabilityNot applicable.

Lower and upper explosion limit

 Lower:
 0.7 Vol %

 Upper:
 6 Vol %

Flash point: >63 °C (DIN EN ISO 2719)

Auto-ignition temperature: 240 °C

Decomposition temperature: Not determined.

pH Mixture is non-polar/aprotic.

Viscosity:

Kinematic viscosity at 20 °C 25–35 s (DIN EN ISO 2431/4mm)

>21 mm²/s (40°C) (calculated)

Dynamic: Not determined.

Solubility

water: Fully miscible.Partition coefficient n-octanol/water (log value)Vapour pressure: Not determined.

Density and/or relative density

Density at 20 °C: 0.88–0.95 g/cm³ (DIN 51757)

Relative density Not determined.

9.2 Other information

Appearance:

Form: Viscous

Important information on protection of health and

environment, and on safety.

Ignition temperature: Product is not selfigniting.

(Contd. on page 7)



Printing date 20.12.2023 Version number 2.2 (replaces version 2.0) Revision: 20.12.2023

Trade name: Concrete Oil clear

(Contd. of page 6)

Explosive properties: Product does not present an explosion hazard.

Change in condition

Evaporation rate Not determined.

Information with regard to physical hazard classes

Explosives Void Flammable gases Void **Aerosols** Void Oxidising gases Void Gases under pressure Void Flammable liquids Void Flammable solids Void Self-reactive substances and mixtures Void **Pyrophoric liquids** Void Pyrophoric solids Void Self-heating substances and mixtures Void Substances and mixtures, which emit flammable

gases in contact with water Void

Oxidising liquids Void

Oxidising solids Void

Organic peroxides Void

Corrosive to metals Void

Desensitised explosives Void

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability
Thermal decomposition /
conditions to be avoided:

conditions to be avoided: No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous

reactions Reacts with fabric soaked in the product (e.g. cleaning wool).

Self igniting.

10.4 Conditions to avoid Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous

decomposition products: Carbon monoxide and carbon dioxide

Nitrogen oxides (NOx)

Formation of toxic gases is possible during heating or in case of fire.

Additional information: Warning:

Wash out any used cloth impregnated with this product immediately after use

or store in an airtight container (danger of self-ignition)

(Contd. on page 8)



Revision: 20.12.2023

Printing date 20.12.2023

Version number 2.2 (replaces version 2.0)

Trade name: Concrete Oil clear

(Contd. of page 7)

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

64742-48-9 aliphatic hydrocarbons, C10-C13

| Oral | LD50 | >5,000 mg/kg (rat) |
|------------|-----------|--------------------|
| Dermal | LD50 | >5,000 mg/kg (rat) |
| Inhalative | LC50 / 4h | >5 mg/l (rat) |

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin

sensitisation Germ cell mutagenicity Carcinogenicity Reproductive toxicity STOT-single exposure STOT-repeated exposure Aspiration hazard

Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Subacute to chronic toxicity: Based on available data, the classification criteria are not met.

Additional toxicological

information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the

latest version.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:

64742-48-9 aliphatic hydrocarbons, C10-C13

EC50 / 48h |>1,000 mg/l (Daphnia magna) IC50 / 72h |>1,000 mg/l (algae)

LC50 / 96h |>1,000 mg/l (fish)

12.2 Persistence and

No further relevant information available. degradability

12.3 Bioaccumulative

potential No further relevant information available.

(Contd. on page 9)



Printing date 20.12.2023 Version number 2.2 (replaces version 2.0) Revision: 20.12.2023

Trade name: Concrete Oil clear

(Contd. of page 8)

No further relevant information available. 12.4 Mobility in soil

12.5 Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

12.6 Endocrine disrupting

properties The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Additional ecological information:

General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly

hazardous for water

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation Must not be disposed together with household garbage. Do not allow product

to reach sewage system.

Disposal must be made according to official regulations.

| European waste catalogue | | | | |
|--------------------------|--|--|--|--|
| 08 01 12 | waste paint and varnish other than those mentioned in 08 01 11 | | | |
| 15 01 04 | metallic packaging | | | |

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

Recommended cleansing

agents: Water, if necessary together with cleansing agents.

Solvent naphtha

Osmo Brush Cleaner and Thinner

| SECTION ' | 14. | Transport | inform: | ation |
|-----------|---------------|-----------|-----------|--------|
| SECTION | ı | Hallsbull | IIIIOIIII | ILIVII |

| 14.1 UN number or ID number | | |
|---------------------------------|----------------|--|
| ADR, IMDG, IATA | Not applicable | |
| 14.2 UN proper shipping name | | |
| ADR, IMDG, IATA | Not applicable | |
| 14.3 Transport hazard class(es) | | |
| ADR, ADN, IMDG, IATA | | |
| Class | Not applicable | |
| 14.4 Packing group | | |
| ADR, IMDG, IATA | Not applicable | |



Printing date 20.12.2023 Version number 2.2 (replaces version 2.0) Revision: 20.12.2023

Trade name: Concrete Oil clear

(Contd. of page 9)

14.5 Environmental hazards:

Marine pollutant: No

14.6 Special precautions for user Not applicable.

14.7 Maritime transport in bulk according to IMO

instruments Not applicable.

UN "Model Regulation": Not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU Named dangerous

substances - ANNEX I None of the ingredients is listed.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

National regulations:

VOC (EC) < 500 g/l (VOC-max. = 500 g/l (2010 A/i))

15.2 Chemical safety

assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases H304 May be fatal if swallowed and enters airways.

(Contd. on page 11)



Printing date 20.12.2023 Version number 2.2 (replaces version 2.0) Revision: 20.12.2023

Trade name: Concrete Oil clear

(Contd. of page 10)

EUH066 Repeated exposure may cause skin dryness or cracking.

Classification according to

Regulation (EC) No 1272/2008 The classification of the mixture is generally based on the calculation method

using substance data according to Regulation (EC) No 1272/2008.

Department issuing SDS: product safety department

Contact: Hr. Dr. Starp

Version number of previous

version: 2.0

Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route

(European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Asp. Tox. 1: Aspiration hazard – Category 1

Sources Safety data sheets from raw material suppliers

ECHA Portal

ESIS: European chemical Substances Information System

* Data compared to the previous version altered.

ΕU