Printing date 20.12.2023



Safety data sheet

according to 1907/2006/EC, Article 31

Version number 2.2 (replaces version 2.0)

Revision: 20.12.2023

1.1 Product identifier	
Trade name:	Stone and Terracotta Oil clear
Article number: 1.2 Relevant identified uses of the substance or mixture	620 Clear Satin
and uses advised against Application of the substance	No further relevant information available.
/ the mixture	Paint Coating compound/ Surface coating/ paint
1.3 Details of the supplier of t	he safety data sheet
Manufacturer/Supplier:	Osmo Holz und Color GmbH & Co. KG Affhüppen Esch 12 D-48231 Warendorf Germany
Further information	
obtainable from:	Product safety department Tel.: +49 (0) 251 / 692 - 188 Fax: +49 (0) 251 / 692 - 462 e-mail: helmut.starp@osmo.de
1.4 Emergency telephone	
number:	emergency phone no. Berlin (24h): +49 (0) 30 / 30686 790 advisory service i German and English

SECTION 2: Hazards identification

2.1 Classification of the subs Classification according to Regulation (EC) No 1272/200 Additional information:	 stance or mixture 8 The product is not classified, according to the CLP regulation. For the wording of the listed hazard phrases refer to section 16.
2.2 Label elements	
Hazard pictograms	Void
Signal word	Void
Hazard statements	Void
Precautionary statements	 P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P262 Do not get in eyes, on skin, or on clothing. P271 Use only outdoors or in a well-ventilated area.
Additional information:	EUH210 Safety data sheet available on request.
2.3 Other hazards	Warning:
	Wash out any used cloth impregnated with this product immediately after use or store in an airtight container (danger of self-ignition) Always wear a dust mask when sanding. Observe the general safety regulations when handling chemicals. (Contd. on page 2)

Page	2/11
i ago	∠ / I I

Printing date 20.12.2023



Safety data sheet

according to 1907/2006/EC, Article 31

Version number 2.2 (replaces version 2.0)

Revision: 20.12.2023

_{ade name:} Stone and	Terracotta Oil clear	
		(Contd. of page 1)
Results of PBT and vP		
PBT:	Not applicable.	
vPvB:	Not applicable.	
SECTION 3: Compo	osition/information on ingred	lients
3.2 Mixtures		
Description:	Mixture of substances listed	below with nonhazardous additions.
Dangerous component	s:	
CAS: 64742-48-9 a EC number: 918-481-9	aliphatic hydrocarbons, C10-C13	Asp. Tox. 1, H304, EUH066 25-50%
SVHC	Not applicable.	
Additional information.	For the wording of the listed	hazard phrases refer to section 16.
SECTION 4: First a	id measures	
4.1 Description of first		
General information:Take affected persons out into the fresh air.After inhalation:Supply fresh air; consult doctor in case of complaints.		
After inhalation:		place patient stably in side position for
	transportation.	place patient stably in side position for
After skin contact:	-	r and soap and rinse thoroughly.
	2	s: Get medical advice/attention.
After eye contact:		al minutes under running water. If symptoms
•	persist, consult a doctor.	o y i
After swallowing:	If swallowed, seek medical a	dvice immediately and show this container or
	label.	
	Do NOT induce vomiting.	
4.2 Most important syn	-	
and effects, both acute		
delayed	Headache	
	Dizziness	
4.3 Indication of any		
immediate medical atte		
and special treatment r	needed If swallowed or in case of vo	miting, danger of entering the lungs.
SECTION 5: Firefig	hting measures	
5.1 Extinguishing mod	•	
5.1 Extinguishing medi	a	
Suitable extinguishing	CO2 powder or water enrow	Fight larger fires with water aprovier cleans
agents:	resistant foam.	. Fight larger fires with water spray or alcohol

Page 3/11



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 20.12.2023

Version number 2.2 (replaces version 2.0)

Revision: 20.12.2023

Trade name: Stone and Terracotta Oil clear

(Contd. of page 2)

For safety reasons unsuitable	
extinguishing agents: 5.2 Special hazards arising	None known.
from the substance or	
mixture	Formation of toxic gases is possible during heating or in case of fire.
	Carbon monoxide (CO)
	carbon dioxide (CO2)
5.3 Advice for firefighters	
Protective equipment:	Mouth respiratory protective device.
	Do not inhale explosion gases or combustion gases.
	Wear self-contained respiratory protective device.
	General measures for chemical fires.
Additional information	Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.
	Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

6.1 Personal precautions,	
protective equipment and	Ensure adaquate ventilation
emergency procedures	Ensure adequate ventilation
	Keep away from ignition sources.
_	Wear protective clothing.
For non-emergency	
personnel	No action shall be taken involving any personal risk or without suitable training.
For emergency responders	Wear protective equipment. Keep unprotected persons away.
6.2 Environmental	
precautions:	Inform respective authorities in case of seepage into water course or sewage
	system.
	Do not allow to enter sewers/ surface or ground water.
6.3 Methods and material for	
containment and cleaning up	<i>:</i> Absorb with liquid-binding material (sand, diatomite, acid binders, universal
U .	binders).
	Dispose of the material collected according to regulations.
	Dispose contaminated material as waste according to section 13.
	Ensure adequate ventilation.
	Warm water and cleansing agent
6.4 Reference to other	5 5
sections	See Section 7 for information on safe handling.
	See Section 8 for information on personal protection equipment.
	See Section 13 for disposal information.
	(Contd. on page 4)



according to 1907/2006/EC, Article 31

Printing date 20.12.2023

Version number 2.2 (replaces version 2.0)

Revision: 20.12.2023

(Contd. of page 3)

Trade name: Stone and Terracotta Oil clear

SECTION 7: Handling an	u storage
7.1 Precautions for safe	
handling	Use only in well ventilated areas.
	Ensure good ventilation/exhaustion at the workplace.
	Open and handle receptacle with care.
	Prevent formation of aerosols.
General protective and	
hygienic measures:	Wash hands before breaks and at the end of work.
	Do not inhale gases / fumes / aerosols.
	Do not eat, drink, smoke or sniff while working.
	Do not carry product impregnated cleaning cloths in trouser pockets.
Information about fire - and	
explosion protection:	Keep respiratory protective device available.
Handling:	Even a small sip can lead to life-threatening damage to the lungs. Keep ra
	filled with this liquid out of the reach of children.
7.2 Conditions for safe storag	e, including any incompatibilities
Storage:	
Requirements to be met by	
storerooms and receptacles:	Store only in the original receptacle.
Information about storage in	
one common storage facility:	Not required.
Further information about	
storage conditions:	Protect from frost.
-	Keep container tightly sealed.
	Store in cool, dry conditions in well sealed receptacles.
Storage class:	10
7.3 Specific end use(s)	No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:		
64742-48-9 aliphatic hydroc	arbons, C10-C13	
TWA Short-term value: 1200	mg/m ³	
CEFIC-HSPA		
Additional information:	The lists valid during the making were used as basis.	
8.2 Exposure controls Appropriate engineering controls	Ensure good ventilation/exhaustion at the workplace.	
	5	(Contd. on page 5)



according to 1907/2006/EC, Article 31

Version number 2.2 (replaces version 2.0)

Revision: 20.12.2023

Printing date 20.12.2023

Trade name: Stone and Terracotta Oil clear

-	es, such as personal protective equipment
General protective and	
hygienic measures:	Keep away from foodstuffs, beverages and feed.
	Do not inhale gases / fumes / aerosols.
	The usual precautionary measures are to be adhered to when handling
	chemicals.
	Do not eat, drink, smoke or sniff while working.
	Do not carry product impregnated cleaning cloths in trouser pockets.
	See Section 7 for information on safe handling.
Respiratory protection:	Use suitable respiratory protective device only when aerosol or mist is forme
	Not necessary if room is well-ventilated.
	In case of brief exposure or low pollution use respiratory filter device. In case
	of intensive or longer exposure use self-contained respiratory protective
	device.
	Half mask with round thread connection EN 148-1 (screw-on filter) and
	combination filter A1 - P2 according to German DIN EN 14387.
	Use a properly fitted, air-purifying or air-fed repirator complying with an
	approved standard if a risk assessment indicates this is necessary.
Hand protection	To avoid skin problems reduce the wearing of gloves to the required minimu
	Protective gloves
	The glove material has to be impermeable and resistant to the product/ the
	substance/ the preparation.
	Selection of the glove material on consideration of the penetration times, rat
	of diffusion and the degradation
Material of gloves	The selection of the suitable gloves does not only depend on the material, be
	also on further marks of quality and varies from manufacturer to manufactur
	As the product is a preparation of several substances, the resistance of the
	glove material can not be calculated in advance and has therefore to be
	checked prior to the application.
Penetration time of glove	
material	The exact break trough time has to be found out by the manufacturer of the
	protective gloves and has to be observed.
For the permanent contact	
gloves made of the following	
materials are suitable:	For the mixture of chemicals mentioned below the penetration time has to be
	at least 480 minutes (Permeation according to EN 16523-1:2015: Level 6).
	Nitrile rubber, NBR
	Recommended thickness of the material: ≥ 0.4 mm
	For the mixture the penetration time has to be at least 480 minutes
	(Permeation according to EN 374 Part 3: Level 6).
As protection from splashes	
gloves made of the following	
materials are suitable:	Nitrile rubber, NBR
Eye/face protection	If risk of splashing:
	(Contd. on page



according to 1907/2006/EC, Article 31

Printing date 20.12.2023

Version number 2.2 (replaces version 2.0)

Revision: 20.12.2023

Trade name: Stone and Terracotta Oil clear

(Contd. of page 5) Safety glasses according to EN 166:2001 (e.g. densely closing frame glasses with side protection) Tightly sealed goggles Protective work clothing

Body protection:

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties General Information Physical state Fluid Colour: Yellowish Odour: Mild Odour threshold: Not determined. Melting point/freezing point: Undetermined. Boiling point or initial boiling point and boiling range Vindetermined. Boiling point or initial boiling point and boiling range Over and upper explosion limit Lower and upper explosion limit Lower: 0.7 Vol % Upper: 6 Vol % Flash point: >63 °C (DIN EN ISO 2719) Auto-ignition temperature: 240 °C Decomposition temperature: Not determined. pH Mixture is non-polar/aprotic. Viscosity: Kinematic viscosity at 20 °C Solubility water: Fully miscible. Partition coefficient n-octanol/water (log value) Not determined. Density at 20 °C; 0.88–0.95 g/cm³ (DIN 51757) Relative density Not determined. 9.2 Other information Appearance: Form: Fluid Important information on protection of health and environment, and on safety. Ignition temperature: Protuct is not selfigniting. Ignition temperature: Protuct is not selfigniting.			
Physical stateFluidColour:YellowishOdour:MildOdour:Not determined.Melting point/freezing point:Undetermined.Boiling point or initial boiling point and boilingUndetermined.Boiling point or initial boiling point and boilingUndetermined.FlammabilityNot applicable.Lower and upper explosion limit0.7 Vol %Upper:6 Vol %Flash point:>63 °C (DIN EN ISO 2719)Auto-ignition temperature:240 °CDecomposition temperature:Not determined.pHMixture is non-polar/aprotic.Viscosity:25-35 s (DIN EN ISO 2431/4mm)Kinematic viscosity at 20 °C25-35 s (DIN EN ISO 2431/4mm)SolubilityNot determined.water:Fully miscible.Partition coefficient n-octanol/water (log value)Not determined.Vapour pressure:Not determined.Density and/or relative densityNot determined.Density at 20 °C:0.88-0.95 g/cm³ (DIN 51757)Relative densityNot determined.9.2 Other informationAppearance:Form:FluidImportant information on protection of health and environment, and on safety.FluidIgnition temperature:Product is not selfigniting.		operties	
Colour:YellowishOdour:MildOdour:MildOdour threshold:Not determined.Metting point/recezing point:Undetermined.Boiling point or initial boiling point and boilingUndetermined.FlammabilityUndetermined.FlammabilityNot applicable.Lower and upper explosion limitLower and upper explosion limitLower:0.7 Vol %Upper:6 Vol %Flash point:>26 °C (DI EN ISO 2719)Auto-ignition temperature:240 °CDecomposition temperature:Not determined.pHMixture is non-polar/aprotic.Viscosity:Xiture is non-polar/aprotic.Viscosity:25–35 s (DIN EN ISO 2431/4mm) >21 mm²/s (40°C) (calculated)Dynamic:Not determined.SolubilityWater:Fully miscible.Farition coefficient n-octanol/water (log value)Vapour pressure:Not determined.Density and/or relative densityNot determined.Density and/or relative density0.88–0.95 g/cm³ (DIN 51757)Relative densityNot determined.9.2 Other informationFluidAppearance:FluidForm:FluidImportant information on protection of health and environment, and on safety.Ignition temperature:Product is not selfigniting.			
Odour:MildOdour threshold:Not determined.Melting point/freezing point:Undetermined.Boiling point or initial boiling point and boiling rangeUndetermined.RamabilityNot applicable.Lower and upper explosion limitNot applicable.Lower and upper explosion limit0.7 Vol %Upper:0.7 Vol %Upper:0.7 Vol %Upper:0.7 Vol %Variety and the preature:0.7 Vol %Upper:0.7 Vol %Flash point:>63 °C (DN EN ISO 2719)Auto-ignition temperature:Not determined.pHMixture is non-polar/aprotic.Viscosity:Viscosity at 20 °CViscosity:25–35 s (DIN EN ISO 2431/4mm) >21 mm²/s (40°C) (calculated)Dynamic:Not determined.Solubility water:Fully miscible.Partition coefficient n-octanol/water (log value) Vapour pressure:Not determined.Vapour pressure:0.88–0.95 g/cm² (DIN 51757)Relative densityNot determined.9.2 Other information Appearance: Form:FluidAppearance: Form:FluidForm:FluidImportant information on protection of health and environment, and on safety.Product is not selfigniting.	-		
Odour threshold:Not determined.Melting point/freezing point:Undetermined.Boiling point or initial boiling point and boilingUndetermined.FramgeUndetermined.FlammabilityNot applicable.Lower and upper explosion limit	Colour:	Yellowish	
Melting point/freezing point:Undetermined.Boiling point or initial boiling point and boilingUndetermined.rangeUndetermined.FlammabilityNot applicable.Lower and upper explosion limitNot applicable.Lower:0.7 Vol %Upper:6 Vol %Flash point:>63 °C (DIN EN ISO 2719)Auto-ignition temperature:240 °CDecomposition temperature:Not determined.pHMixture is non-polar/aprotic.Viscosity:Kinematic viscosity at 20 °CDynamic:So (DIN EN ISO 2431/4mm)Solubility>21 mm²/s (40°C) (calculated)water:Fully miscible.Partition coefficient n-octanol/water (log value)Not determined.Vapour pressure:Not determined.Density and/or relative densityNot determined.Density at 20 °C:0.88-0.95 g/cm³ (DIN 51757)Relative densityNot determined.Jonsity at 20 °C:Product is not selfigniting.	Odour:	Mild	
Boiling point or initial boiling point and boiling rangeUndetermined.rangeUndetermined.FlammabilityNot applicable.Lower and upper explosion limitLower:0.7 Vol %Upper:6 Vol %Flash point:Flash point:>63 °C (DIN EN ISO 2719)Auto-ignition temperature:240 °CDecomposition temperature:Not determined.pHMixture is non-polar/aprotic.Viscosity:Kinematic viscosity at 20 °C25–35 s (DIN EN ISO 2431/4mm)>21 mm²/s (40°C) (calculated)Dynamic:Not determined.SolubilityNot determined.water:Fully miscible.Partition coefficient n-octanol/water (log value)Not determined.Density and/or relative densityNot determined.Density and/or relative density0.88–0.95 g/cm³ (DIN 51757)Relative densityNot determined.9.2 Other informationFluidAppearance:FluidForm:FluidImportant information on protection of health and environment, and on safety.Product is not selfigniting.	Odour threshold:	Not determined.	
rangeUndetermined.FlammabilityNot applicable.Lower and upper explosion limitNot applicable.Lower:0.7 Vol %Upper:6 Vol %Flash point:>63 °C (DIN EN ISO 2719)Auto-ignition temperature:240 °CDecomposition temperature:Not determined.pHMixture is non-polar/aprotic.Viscosity:Kinematic viscosity at 20 °CZ5-35 s (DIN EN ISO 2431/4mm) >21 mm²/s (40°C) (calculated)Dynamic:Not determined.SolubilityNot determined.water:Fully miscible.Partition coefficient n-octanol/water (log value)Not determined.Vapour pressure:Not determined.Density and/or relative density0.88–0.95 g/cm³ (DIN 51757)Relative densityNot determined.9.2 Other informationFluidAppearance:FluidForm:FluidImportant information on protection of health and environment, and on safety.Product is not selfigniting.	Melting point/freezing point:	Undetermined.	
FlammabilityNot applicable.Lower and upper explosion limit0.7 Vol %Lower:0.7 Vol %Upper:6 Vol %Flash point:>63 °C (DIN EN ISO 2719)Auto-ignition temperature:240 °CDecomposition temperature:Not determined.pHMixture is non-polar/aprotic.Viscosity:25–35 s (DIN EN ISO 2431/4mm) >21 mm²/s (40°C) (calculated)Dynamic:Not determined.SolubilityNot determined.water:Fully miscible.Partition coefficient n-octanol/water (log value)Not determined.Density and/or relative densityNot determined.Density at 20 °C:0.88–0.95 g/cm³ (DIN 51757)Relative densityNot determined.9.2 Other informationFluidAppearance:FluidForm:FluidImportant information on protection of health and environment, and on safety.Fluid is not selfigniting.Ignition temperature:Product is not selfigniting.	Boiling point or initial boiling point and boiling		
Lower and upper explosion limitLower:0.7 Vol %Upper:6 Vol %Flash point:>63 °C (DIN EN ISO 2719)Auto-ignition temperature:240 °CDecomposition temperature:Not determined.pHMixture is non-polar/aprotic.Viscosity:Kinematic viscosity at 20 °C25–35 s (DIN EN ISO 2431/4mm) >21 mm²/s (40°C) (calculated)Dynamic:Not determined.Solubility water:Fully miscible.Partition coefficient n-octanol/water (log value) Vapour pressure:Not determined.Density and/or relative density Density at 20 °C:0.88–0.95 g/cm³ (DIN 51757)Relative density Not determined.Not determined.9.2 Other information Appearance: Form:FluidForm:FluidImportant information on protection of health and environment, and on safety. Ignition temperature:Product is not selfigniting.	range	Undetermined.	
Lower:0.7 Vol %Upper:6 Vol %Flash point:>63 °C (DIN EN ISO 2719)Auto-ignition temperature:240 °CDecomposition temperature:Not determined.pHMixture is non-polar/aprotic.Viscosity:Kinematic viscosity at 20 °CZ5-35 s (DIN EN ISO 2431/4mm) >21 mm²/s (40°C) (calculated)Dynamic:Not determined.Solubility water:Fully miscible.Partition coefficient n-octanol/water (log value) Density and/or relative densityNot determined.Density and/or relative density Density at 20 °C:0.88-0.95 g/cm³ (DIN 51757) Not determined.9.2 Other information Appearance: Form:FluidImportant information on protection of health and environment, and on safety. Ignition temperature:Product is not selfigniting.	Flammability	Not applicable.	
Upper:6 Vol %Flash point:>63 °C (DIN EN ISO 2719)Auto-ignition temperature:240 °CDecomposition temperature:Not determined.pHMixture is non-polar/aprotic.Viscosity:Kinematic viscosity at 20 °CZ5-35 s (DIN EN ISO 2431/4mm) >21 mm²/s (40°C) (calculated)Dynamic:Not determined.Solubility water:Not determined.Fully miscible.Fartition coefficient n-octanol/water (log value)Partition coefficient n-octanol/water (log value)Not determined.Density and/or relative densityNot determined.Density at 20 °C:0.88–0.95 g/cm³ (DIN 51757)Relative densityNot determined.9.2 Other informationFluidAppearance: Form:FluidForm:FluidImportant information on protection of health and environment, and on safety.Ignition temperature:Product is not selfigniting.	Lower and upper explosion limit		
Flash point: >63 °C (DIN EN ISO 2719) Auto-ignition temperature: 240 °C Decomposition temperature: Not determined. pH Mixture is non-polar/aprotic. Viscosity: Kinematic viscosity at 20 °C Z5-35 s (DIN EN ISO 2431/4mm) >21 mm²/s (40°C) (calculated) Dynamic: Not determined. Solubility water: Fully miscible. Not determined. Partition coefficient n-octanol/water (log value) Not determined. Vapour pressure: Not determined. Density and/or relative density 0.88–0.95 g/cm³ (DIN 51757) Relative density Not determined. 9.2 Other information Appearance: Form: Fluid Important information on protection of health and environment, and on safety. Ignition temperature: Ignition temperature: Product is not selfigniting.	Lower:	0.7 Vol %	
Auto-ignition temperature: 240 °C Decomposition temperature: Not determined. pH Mixture is non-polar/aprotic. Viscosity: Kinematic viscosity at 20 °C Z5-35 s (DIN EN ISO 2431/4mm) >21 mm²/s (40°C) (calculated) Dynamic: Not determined. Solubility Not determined. water: Fully miscible. Partition coefficient n-octanol/water (log value) Not determined. Vapour pressure: Not determined. Density and/or relative density Not determined. Density and/or relative density 0.88–0.95 g/cm³ (DIN 51757) Relative density Not determined. 9.2 Other information Appearance: Form: Fluid Important information on protection of health and environment, and on safety. Ignition temperature: Ignition temperature: Product is not selfigniting.	Upper:	6 Vol %	
Decomposition temperature:Not determined.pHMixture is non-polar/aprotic.Viscosity:Mixture is non-polar/aprotic.Kinematic viscosity at 20 °C25–35 s (DIN EN ISO 2431/4mm) >21 mm²/s (40°C) (calculated)Dynamic:Not determined.SolubilityNot determined.water:Fully miscible.Partition coefficient n-octanol/water (log value)Not determined.Vapour pressure:Not determined.Density and/or relative densityNot determined.Density at 20 °C:0.88–0.95 g/cm³ (DIN 51757)Relative densityNot determined.9.2 Other informationFluidAppearance:Form:Form:FluidImportant information on protection of health and environment, and on safety.Product is not selfigniting.	Flash point:	>63 °C (DIN EN ISO 2719)	
pHMixture is non-polar/aprotic.Viscosity:Kinematic viscosity at 20 °C25–35 s (DIN EN ISO 2431/4mm) >21 mm²/s (40°C) (calculated)Dynamic:Not determined.SolubilityNot determined.water:Fully miscible.Partition coefficient n-octanol/water (log value)Not determined.Vapour pressure:Not determined.Density and/or relative densityNot determined.Density and/or relative density0.88–0.95 g/cm³ (DIN 51757)Relative densityNot determined.9.2 Other informationFluidAppearance:Form:Form:FluidImportant information on protection of health and environment, and on safety.Product is not selfigniting.	Auto-ignition temperature:	240 °C	
Viscosity:Kinematic viscosity at 20 °C25–35 s (DIN EN ISO 2431/4mm) >21 mm²/s (40°C) (calculated)Dynamic:Not determined.Solubilitywater:Fully miscible.Fully miscible.Partition coefficient n-octanol/water (log value)Not determined.Vapour pressure:Not determined.Density and/or relative densityNot determined.Density at 20 °C:0.88–0.95 g/cm³ (DIN 51757)Relative densityNot determined.9.2 Other informationFluidAppearance:FluidForm:FluidImportant information on protection of health and environment, and on safety.Product is not selfigniting.	Decomposition temperature:	Not determined.	
Kinematic viscosity at 20 °C25–35 s (DIN EN ISO 2431/4mm) >21 mm²/s (40°C) (calculated)Dynamic:Not determined.Solubility water:Fully miscible.Partition coefficient n-octanol/water (log value) Vapour pressure:Not determined.Vapour pressure:Not determined.Density and/or relative density Density at 20 °C:0.88–0.95 g/cm³ (DIN 51757)Relative densityNot determined.9.2 Other information Appearance: Form:FluidImportant information on protection of health and environment, and on safety.FluidIgnition temperature:Product is not selfigniting.	pН	Mixture is non-polar/aprotic.	
>21 mm²/s (40°C) (calculated)Dynamic:Not determined.Solubility water:Fully miscible.Partition coefficient n-octanol/water (log value) Vapour pressure:Not determined.Vapour pressure:Not determined.Density and/or relative density0.88–0.95 g/cm³ (DIN 51757)Density at 20 °C:0.88–0.95 g/cm³ (DIN 51757)Relative densityNot determined.9.2 Other informationFluidAppearance:Form:Form:FluidImportant information on protection of health and environment, and on safety.Product is not selfigniting.	Viscosity:		
Dynamic:Not determined.Solubility water:Fully miscible.Partition coefficient n-octanol/water (log value)Not determined.Vapour pressure:Not determined.Density and/or relative densityNot determined.Density at 20 °C:0.88–0.95 g/cm³ (DIN 51757)Relative densityNot determined.9.2 Other informationFluidAppearance: Form:FluidImportant information on protection of health and environment, and on safety.Product is not selfigniting.	Kinematic viscosity at 20 °C	25–35 s (DIN EN ISO 2431/4mm)	
Solubility water: Fully miscible. Partition coefficient n-octanol/water (log value) Not determined. Vapour pressure: Not determined. Density and/or relative density Not determined. Density at 20 °C: 0.88–0.95 g/cm³ (DIN 51757) Relative density Not determined. 9.2 Other information Appearance: Form: Fluid Important information on protection of health and environment, and on safety. Fluid Ignition temperature: Product is not selfigniting.		>21 mm²/s (40°C) (calculated)	
water: Fully miscible. Partition coefficient n-octanol/water (log value) Not determined. Vapour pressure: Not determined. Density and/or relative density Not determined. Density at 20 °C: 0.88–0.95 g/cm³ (DIN 51757) Relative density Not determined. 9.2 Other information Appearance: Form: Fluid Important information on protection of health and environment, and on safety. Fluid Ignition temperature: Product is not selfigniting.	Dynamic:	Not determined.	
Fully miscible.Partition coefficient n-octanol/water (log value)Not determined.Vapour pressure:Not determined.Density and/or relative densityNot determined.Density at 20 °C:0.88–0.95 g/cm³ (DIN 51757)Relative densityNot determined.9.2 Other informationFuidAppearance:FuidForm:FluidImportant information on protection of health and environment, and on safety.Product is not selfigniting.	Solubility		
Partition coefficient n-octanol/water (log value)Not determined.Vapour pressure:Not determined.Density and/or relative densityNot determined.Density at 20 °C:0.88–0.95 g/cm³ (DIN 51757)Relative densityNot determined.9.2 Other informationFiluidAppearance:Form:Form:FluidImportant information on protection of health and environment, and on safety.Product is not selfigniting.	water:		
Vapour pressure:Not determined.Density and/or relative densityNot determined.Density at 20 °C: $0.88-0.95$ g/cm³ (DIN 51757)Relative densityNot determined.9.2 Other informationFluidAppearance:Form:Form:FluidImportant information on protection of health and environment, and on safety.Product is not selfigniting.	Fully miscible.		
Density and/or relative densityDensity at 20 °C:0.88–0.95 g/cm³ (DIN 51757)Relative densityNot determined.9.2 Other informationAppearance:Form:FluidImportant information on protection of health and environment, and on safety.Ignition temperature:Product is not selfigniting.	Partition coefficient n-octanol/water (log value)	Not determined.	
Density at 20 °C:0.88–0.95 g/cm³ (DIN 51757)Relative densityNot determined.9.2 Other informationFilianAppearance:Form:Form:FluidImportant information on protection of health and environment, and on safety.Product is not selfigniting.	Vapour pressure:	Not determined.	
Relative densityNot determined.9.2 Other information Appearance: Form: Important information on protection of health and environment, and on safety. Ignition temperature:FluidProduct is not selfigniting.	Density and/or relative density		
9.2 Other information Appearance: Form: Fluid Important information on protection of health and environment, and on safety. Ignition temperature: Product is not selfigniting.	Density at 20 °C:	0.88–0.95 g/cm³ (DIN 51757)	
Appearance: Form: Fluid Important information on protection of health and environment, and on safety. Ignition temperature: Product is not selfigniting.	Relative density	Not determined.	
Form:FluidImportant information on protection of health and environment, and on safety.FluidIgnition temperature:Product is not selfigniting.	9.2 Other information		
Important information on protection of health and environment, and on safety.Ignition temperature:Product is not selfigniting.	Appearance:		
environment, and on safety.Ignition temperature:Product is not selfigniting.	Form:	Fluid	
Ignition temperature: Product is not selfigniting.	Important information on protection of health and		
	environment, and on safety.		
(Contd. on page 7)	Ignition temperature:	Product is not selfigniting.	
			(Contd. on page 7)



according to 1907/2006/EC, Article 31

Printing date 20.12.2023

Version number 2.2 (replaces version 2.0)

Revision: 20.12.2023

Trade name: Stone and Terracotta Oil clear

Explosive properties:	Product does not present an explosion hazard.
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard c	lasses
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flamma	able
gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

10.1 Reactivity 10.2 Chemical stability Thermal decomposition /	No further relevant information available.
conditions to be avoided: 10.3 Possibility of hazardous	No decomposition if used and stored according to specifications.
reactions	Reacts with fabric soaked in the product (e.g. cleaning wool). Self igniting.
10.4 Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
10.5 Incompatible materials:	No further relevant information available.
10.6 Hazardous	
decomposition products:	Carbon monoxide and carbon dioxide
	Nitrogen oxides (NOx)
	Formation of toxic gases is possible during heating or in case of fire.
Additional information:	Warning: Wash out any used cloth impregnated with this product immediately after use or store in an airtight container (danger of self-ignition) (Contd. on page 8)

ΕU

Printing date 20.12.2023



Safety data sheet

according to 1907/2006/EC, Article 31

Version number 2.2 (replaces version 2.0)

Revision: 20.12.2023

Trade name: Stone and Terracotta Oil clear

		(Contd. of page
SECTION	11: Toxicologi	cal information
11.1 Informa	tion on hazard cl	asses as defined in Regulation (EC) No 1272/2008
Acute toxicit	t y	Based on available data, the classification criteria are not met.
LD/LC50 valu	ues relevant for c	lassification:
64742-48-9 a	liphatic hydrocar	bons, C10-C13
Oral LD	050 >5,000 mg	g/kg (rat)
Dermal LD		
Inhalative LC	C50 / 4h >5 mg/l (r	
Skin corrosi		Based on available data, the classification criteria are not met.
Serious eye	damage/irritation	Based on available data, the classification criteria are not met.
Respiratory	or skin	
sensitisation	1	Based on available data, the classification criteria are not met.
Germ cell mu	utagenicity	Based on available data, the classification criteria are not met.
Carcinogenie	city	Based on available data, the classification criteria are not met.
Reproductive	e toxicity	Based on available data, the classification criteria are not met.
STOT-single	exposure	Based on available data, the classification criteria are not met.
STOT-repeat	ted exposure	Based on available data, the classification criteria are not met.
Aspiration ha	azard	Based on available data, the classification criteria are not met.
	chronic toxicity:	Based on available data, the classification criteria are not met.
Additional to	-	
information:		The product is not subject to classification according to the calculation metho
		of the General EU Classification Guidelines for Preparations as issued in the
44 0 1		latest version.
	tion on other haz	
Endocrine di	isrupting propert	ies
Name -fil-	ngredients is listed.	
None of the II	igreaterite to listed	
		information
SECTION	12: Ecological	information
SECTION 12.1 Toxicity	12: Ecological	information
SECTION 1 12.1 Toxicity Aquatic toxic	12: Ecological / city:	
SECTION 1 12.1 Toxicity Aquatic toxic	12: Ecological	
SECTION 7 12.1 Toxicity Aquatic toxic 64742-48-9 a	12: Ecological / city:	bons, C10-C13
SECTION 12.1 Toxicity Aquatic toxic 64742-48-9 a EC50 / 48h >	12: Ecological / city: lliphatic hydrocar	bons, C10-C13 nia magna)
SECTION 7 12.1 Toxicity Aquatic toxic 64742-48-9 a EC50 / 48h > IC50 / 72h >	12: Ecological / city: lliphatic hydrocar >1,000 mg/l (Daphr	bons, C10-C13 nia magna)
SECTION 12.1 Toxicity Aquatic toxic 64742-48-9 a EC50 / 48h IC50 / 72h	12: Ecological / city: lliphatic hydrocar >1,000 mg/l (Daphr >1,000 mg/l (algae) >1,000 mg/l (fish)	bons, C10-C13 nia magna)
SECTION 12.1 Toxicity Aquatic toxic 64742-48-9 EC50 / 48h IC50 / 72h LC50 / 96h	12: Ecological / city: liphatic hydrocar >1,000 mg/l (Daphr >1,000 mg/l (algae) >1,000 mg/l (fish) ence and	bons, C10-C13 nia magna)
SECTION 12.1 Toxicity Aquatic toxic 64742-48-9 a EC50 / 48h IC50 / 72h LC50 / 96h 12.2 Persister	12: Ecological / city: liphatic hydrocar >1,000 mg/l (Daphr >1,000 mg/l (algae) >1,000 mg/l (fish) ence and y	bons, C10-C13 nia magna))

(Contd. on page 9)

Page 9/11



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 20.12.2023

Version number 2.2 (replaces version 2.0)

Revision: 20.12.2023

Trade name: Stone and Terracotta Oil clear

		(Contd. of page 8
12.4 Mobili	-	No further relevant information available.
	ts of PBT and vPvB	
PBT:		Not applicable.
vPvB:		Not applicable.
	rine disrupting	
properties		The product does not contain substances with endocrine disrupting properties
	adverse effects	
	ecological informa	
General no	ites:	Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
SECTION	l 13: Disposal c	onsiderations
	treatment method	
13.1 waste Recommer		-
Necommen	MallOll	Must not be disposed together with household garbage. Do not allow product to reach sewage system.
		Disposal must be made according to official regulations.
European	waste catalogue	
-	-	sh other than those mentioned in 08 01 11
	•	
	etallic packaging	
15 01 02 pl	astic packaging	
Uncleaned	packaging:	
Recommen	ndation:	Disposal must be made according to official regulations.
Recommer	nded cleansing	
agents:		Water, if necessary together with cleansing agents.
		Solvent naphtha
		Osmo Brush Cleaner and Thinner
SECTION	I 14: Transport	information
14.1 UN nu	mber or ID numbe	r
ADR, IMDG	G, IATA	Not applicable
-	oper shipping nam	
ADR, IMDG		Not applicable
	port hazard class(e	es)
14.3 Transı		
ADR, ADN,	IMDG, IATA	
-	IMDG, IATA	Not applicable



according to 1907/2006/EC, Article 31

Printing date 20.12.2023

Version number 2.2 (replaces version 2.0)

Revision: 20.12.2023

Trade name: Stone and Terracotta Oil clear (Contd. of page 9) 14.4 Packing group ADR, IMDG, IATA Not applicable 14.5 Environmental hazards: Marine pollutant: No 14.6 Special precautions for user Not applicable. 14.7 Maritime transport in bulk according to IMO instruments Not applicable. UN "Model Regulation": Not applicable SECTION 15: Regulatory information 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Directive 2012/18/EU Named dangerous substances - ANNEX I None of the ingredients is listed. DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II None of the ingredients is listed. **REGULATION (EU) 2019/1148** Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3)) None of the ingredients is listed. Annex II - REPORTABLE EXPLOSIVES PRECURSORS None of the ingredients is listed. Regulation (EC) No 273/2004 on drug precursors None of the ingredients is listed. Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors None of the ingredients is listed. National regulations: VOC (EC) Not applicable. 15.2 Chemical safety A Chemical Safety Assessment has not been carried out. assessment: (Contd. on page 11) EU



according to 1907/2006/EC, Article 31

Printing date 20.12.2023

Version number 2.2 (replaces version 2.0)

Revision: 20.12.2023

Trade name: Stone and Terracotta Oil clear

SECTION 16: Other infor	mation
	r present knowledge. However, this shall not constitute a guarantee for any nall not establish a legally valid contractual relationship.
Relevant phrases	H304 May be fatal if swallowed and enters airways. EUH066 Repeated exposure may cause skin dryness or cracking.
Classification according to	
Regulation (EC) No 1272/2008	The classification of the mixture is generally based on the calculation metho using substance data according to Regulation (EC) No 1272/2008.
Department issuing SDS:	product safety department
Contact:	Hr. Dr. Starp
Date of previous version:	19.02.2020
Version number of previous	
version:	2.0
Abbreviations and acronyms: Sources	 ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Asp. Tox. 1: Aspiration hazard – Category 1 ESIS : European chemical Substances Information System ECHA Portal Safety data sheets from raw material suppliers
* Data compared to the	Salety data sheets noni raw material suppliers
previous version altered.	Additions, Deletions, Revisions
previous version ancrea.	Updated according to regulation (EU) 2020/878 amending regulation (EC) N 1907/2006 (REACH)