# Safety data sheet



according to 1907/2006/EC, Article 31

Printing date 15.12.2023 Version number 3.2 (replaces version 3.1) Revision: 15.12.2023

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

**Polymer Composite Maintenance Oil** Trade name:

Article number: 030 Clear satin

1.2 Relevant identified uses of the substance or mixture

and uses advised against No further relevant information available.

Application of the substance

/ the mixture Coating compound/ Surface coating/ paint

Maintenance product

1.3 Details of the supplier of the safety data sheet

Osmo Holz und Color GmbH & Co. KG Manufacturer/Supplier:

> Affhüppen Esch 12 D-48231 Warendorf

Germany

Further information

obtainable from: Product safety department

> Tel.: +49 (0) 251 / 692 - 188 Fax: +49 (0) 251 / 692 - 462 e-mail: helmut.starp@osmo.de

1.4 Emergency telephone

number: emergency phone no. Berlin (24h): +49 (0) 30 / 30686 790 advisory service in

German and English

#### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Classification according to

Regulation (EC) No 1272/2008 The product is not classified, according to the CLP regulation. Additional information: For the wording of the listed hazard phrases refer to section 16.

2.2 Label elements

Hazard pictograms Void Signal word Void Hazard statements Void

Precautionary statements P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P262 Do not get in eyes, on skin, or on clothing. P271 Use only outdoors or in a well-ventilated area. EUH210 Safety data sheet available on request.

Additional information: 2.3 Other hazards Warning:

Wash out any used cloth impregnated with this product immediately after use

or store in an airtight container (danger of self-ignition)

Always wear a dust mask when sanding.

Observe the general safety regulations when handling chemicals.

(Contd. on page 2)



Printing date 15.12.2023 Version number 3.2 (replaces version 3.1) Revision: 15.12.2023

Trade name: Polymer Composite Maintenance Oil

(Contd. of page 1)

25-50%

Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable.

### SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:

CAS: 64742-48-9 aliphatic hydrocarbons, C10-C13

EC number: 918-481-9

SVHC Not applicable.

Additional information: For the wording of the listed hazard phrases refer to section 16.

#### SECTION 4: First aid measures

4.1 Description of first aid measures

General information: Take affected persons out into the fresh air.

After inhalation: Supply fresh air; consult doctor in case of complaints.

In case of unconsciousness place patient stably in side position for

Asp. Tox. 1, H304, EUH066

transportation.

After skin contact: Immediately wash with water and soap and rinse thoroughly.

If skin irritation or rash occurs: Get medical advice/attention.

After eye contact: Rinse opened eye for several minutes under running water. If symptoms

persist, consult a doctor.

After swallowing: If swallowed, seek medical advice immediately and show this container or

Do NOT induce vomiting.

4.2 Most important symptoms

and effects, both acute and

delayed Headache Dizziness

4.3 Indication of any

immediate medical attention

and special treatment needed If swallowed or in case of vomiting, danger of entering the lungs.

#### SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing

agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol

resistant foam.

(Contd. on page 3)



Printing date 15.12.2023 Version number 3.2 (replaces version 3.1) Revision: 15.12.2023

## Trade name: Polymer Composite Maintenance Oil

(Contd. of page 2)

For safety reasons unsuitable

extinguishing agents: Water with full jet

5.2 Special hazards arising from the substance or

*mixture* No further relevant information available.

5.3 Advice for firefighters

**Protective equipment:** General measures for chemical fires.

**Additional information** Cool endangered receptacles with water spray.

### SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and

**emergency procedures** Keep away from ignition sources.

Ensure adequate ventilation Wear protective clothing.

For non-emergency

personnel No action shall be taken involving any personal risk or without suitable training.

For emergency responders Wear protective equipment. Keep unprotected persons away.

6.2 Environmental

precautions: Inform respective authorities in case of seepage into water course or sewage

system.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for

containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal

binders).

Dispose of the material collected according to regulations.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Warm water and cleansing agent

6.4 Reference to other

**sections** See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### SECTION 7: Handling and storage

7.1 Precautions for safe

handling Use only in well ventilated areas.

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

General protective and

hygienic measures: Wash hands before breaks and at the end of work.

(Contd. on page 4)



Printing date 15.12.2023 Version number 3.2 (replaces version 3.1) Revision: 15.12.2023

Trade name: Polymer Composite Maintenance Oil

(Contd. of page 3)

Do not inhale gases / fumes / aerosols.

Do not eat, drink, smoke or sniff while working.

Do not carry product impregnated cleaning cloths in trouser pockets.

Information about fire - and

**explosion protection:** Keep respiratory protective device available.

Handling: Even a small sip can lead to life-threatening damage to the lungs. Keep rags

filled with this liquid out of the reach of children.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by

storerooms and receptacles: Store only in the original receptacle.

Information about storage in

one common storage facility: Not required.

Further information about

**storage conditions:** Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Storage class: 10

7.3 Specific end use(s) No further relevant information available.

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

64742-48-9 aliphatic hydrocarbons, C10-C13

TWA Short-term value: 1200 mg/m³

**CEFIC-HSPA** 

**Additional information:** The lists valid during the making were used as basis.

8.2 Exposure controls

Appropriate engineering

**controls** Ensure good ventilation/exhaustion at the workplace.

Individual protection measures, such as personal protective equipment

General protective and

hygienic measures: Keep away from foodstuffs, beverages and feed.

Avoid contact with the eyes and skin.

Immediately remove all soiled and contaminated clothing

Do not inhale gases / fumes / aerosols.

The usual precautionary measures are to be adhered to when handling

chemicals.

Do not eat, drink, smoke or sniff while working. See Section 7 for information on safe handling.

(Contd. on page 5)



Printing date 15.12.2023 Version number 3.2 (replaces version 3.1) Revision: 15.12.2023

Trade name: Polymer Composite Maintenance Oil

(Contd. of page 4)

**Respiratory protection:** Not necessary if room is well-ventilated.

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective

device.

Half mask with round thread connection EN 148-1 (screw-on filter) and

combination filter A1 - P2 according to German DIN EN 14387.

Use a properly fitted, air-purifying or air-fed repirator complying with an approved standard if a risk assessment indicates this is necessary.

*Hand protection* To avoid skin problems reduce the wearing of gloves to the required minimum.

Protective gloves

The glove material has to be impermeable and resistant to the product/ the

substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates

of diffusion and the degradation

also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be

checked prior to the application.

Penetration time of glove

material

The exact break trough time has to be found out by the manufacturer of the

protective gloves and has to be observed.

For the permanent contact gloves made of the following

materials are suitable:

Nitrile rubber. NBR

Recommended thickness of the material: ≥ 0.4 mm

For the mixture the penetration time has to be at least 480 minutes

(Permeation according to EN 374 Part 3: Level 6).

As protection from splashes gloves made of the following

gloves made of the following materials are suitable:

Eye/face protection
Body protection:

Nitrile rubber, NBR Tightly sealed goggles Protective work clothing

## SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

**General Information** 

Physical stateFluidColour:YellowishOdour:Mild

Odour threshold: Not determined.

(Contd. on page 6)



Revision: 15.12.2023

Printing date 15.12.2023

Version number 3.2 (replaces version 3.1)

## Trade name: Polymer Composite Maintenance Oil

(Contd. of page 5)

Melting point/freezing point:

Boiling point or initial boiling point and boiling

range

≥170-≤260 °C (64742-48-9 aliphatic hydrocarbons,

C10-C13)

Undetermined.

Not applicable.

Flammability

Lower and upper explosion limit

 Lower:
 0.6 Vol %

 Upper:
 7 Vol %

Flash point: > 60 °C (DIN EN ISO 2719)

**Decomposition temperature:** Not determined.

**pH** Mixture is non-polar/aprotic.

Viscosity:

*Kinematic viscosity at 20 °C* 30–50 s (DIN EN ISO 2431/4mm)

>21 mm²/s (40°C) (calculated)

**Dynamic:** Not determined.

Solubility water:

Not miscible or difficult to mix.

**Partition coefficient n-octanol/water (log value)**Not determined. **Vapour pressure:**Not determined.

Density and/or relative density

**Density at 20 °C:** 0.85–0.9 g/cm³ (DIN 51757)

Relative density Not determined.

9.2 Other information

Appearance:

Form: Fluid

Important information on protection of health and

environment, and on safety.

Ignition temperature: Product is not selfigniting.

Explosive properties: Product does not present an explosion hazard.

Solvent content:

**VOC (EC)** <500 g/l

Change in condition

**Evaporation rate** Not determined.

Information with regard to physical hazard classes

Explosives Void
Flammable gases Void
Aerosols Void
Oxidising gases Void
Gases under pressure Void
Flammable liquids Void
Flammable solids Void

(Contd. on page 7)



Printing date 15.12.2023 Version number 3.2 (replaces version 3.1) Revision: 15.12.2023

# Trade name: Polymer Composite Maintenance Oil

(Contd. of page 6)

| Void |  |
|------|--|
| Void |  |
| Void |  |
| Void |  |
| able |  |
| Void |  |
|      | Void Void Void  Void Void Void Void Void |

### SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability Thermal decomposition /

conditions to be avoided: No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous

reactions Reacts with fabric soaked in the product (e.g. cleaning wool).

Self igniting.

10.4 Conditions to avoid Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

10.5 Incompatible materials:

No further relevant information available.

10.6 Hazardous

decomposition products: Carbon monoxide and carbon dioxide

Nitrogen oxides (NOx)

Additional information:

Warning:

Wash out any used cloth impregnated with this product immediately after use

or store in an airtight container (danger of self-ignition)

### SECTION 11: Toxicological information

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

#### LD/LC50 values relevant for classification:

### 64742-48-9 aliphatic hydrocarbons, C10-C13

| Oral       | LD50      | >5,000 mg/kg (rat) |
|------------|-----------|--------------------|
| Dermal     | LD50      | >5,000 mg/kg (rat) |
| Inhalative | LC50 / 4h | >5 mg/l (rat)      |

Skin corrosion/irritation Based on available data, the classification criteria are not met.

(Contd. on page 8)



Printing date 15.12.2023 Version number 3.2 (replaces version 3.1) Revision: 15.12.2023

## Trade name: Polymer Composite Maintenance Oil

(Contd. of page 7)

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin

sensitisationBased on available data, the classification criteria are not met.Germ cell mutagenicityBased on available data, the classification criteria are not met.CarcinogenicityBased on available data, the classification criteria are not met.Reproductive toxicityBased on available data, the classification criteria are not met.STOT-single exposureBased on available data, the classification criteria are not met.STOT-repeated exposureBased on available data, the classification criteria are not met.Aspiration hazardBased on available data, the classification criteria are not met.Subacute to chronic toxicity:Based on available data, the classification criteria are not met.

Additional toxicological

information: The product is not subject to classification according to the calculation method

of the General EU Classification Guidelines for Preparations as issued in the

latest version.

#### 11.2 Information on other hazards

#### **Endocrine disrupting properties**

None of the ingredients is listed.

### SECTION 12: Ecological information

#### 12.1 Toxicity

| Aquatic | toxicity: |
|---------|-----------|

#### 64742-48-9 aliphatic hydrocarbons, C10-C13

EC50 / 48h |>1,000 mg/l (Daphnia magna)

IC50 / 72h | >1,000 mg/l (algae) LC50 / 96h | >1,000 mg/l (fish)

12.2 Persistence and

**degradability** No further relevant information available.

12.3 Bioaccumulative

potential No further relevant information available.12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessmentPBT: Not applicable.vPvB: Not applicable.

12.6 Endocrine disrupting

**properties**The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Additional ecological information:

General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly

hazardous for water

(Contd. on page 9)



Revision: 15.12.2023

Printing date 15.12.2023

Version number 3.2 (replaces version 3.1)

# Trade name: Polymer Composite Maintenance Oil

(Contd. of page 8)

## SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

**Recommendation** Must not be disposed together with household garbage. Do not allow product

to reach sewage system.

Disposal must be made according to official regulations.

| Europea  | European waste catalogue                                       |  |  |  |
|----------|--|--|--|--|
| 08 01 12 | waste paint and varnish other than those mentioned in 08 01 11 |  |  |  |
| 15 01 04 | metallic packaging   |  |  |  |

Uncleaned packaging:

**Recommendation:** Disposal must be made according to official regulations.

Recommended cleansing

agents: Water, if necessary together with cleansing agents.

Solvent naphtha

Osmo Brush Cleaner and Thinner

| SECTION 14: Transport information         |                 |                 |
|---|-----------------|-----------------|
| 14.1 UN number or ID number               |                 |                 |
| ADR, ADN, IMDG, IATA                      | Not applicable  |                 |
| 14.2 UN proper shipping name              |                 |                 |
| ADR, ADN, IMDG, IATA                      | Not applicable  |                 |
| 14.3 Transport hazard class(es)           |                 |                 |
| ADR, ADN, IMDG, IATA                      |                 |                 |
| Class                                     | Not applicable  |                 |
| 14.4 Packing group                        |                 |                 |
| ADR, IMDG, IATA                           | Not applicable  |                 |
| 14.5 Environmental hazards:               |                 |                 |
| Marine pollutant:                         | No              |                 |
| 14.6 Special precautions for user         | Not applicable. |                 |
| 14.7 Maritime transport in bulk according | to IMO          |                 |
| instruments                               | Not applicable. |                 |
| UN "Model Regulation":                    | Not applicable  |                 |
|   |                 | (Contd. on page |

- El



Printing date 15.12.2023 Version number 3.2 (replaces version 3.1) Revision: 15.12.2023

## Trade name: Polymer Composite Maintenance Oil

(Contd. of page 9)

### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU Named dangerous

**substances - ANNEX I** None of the ingredients is listed.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

**REGULATION (EU) 2019/1148** 

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

National regulations:

VOC (EC) Not applicable.

15.2 Chemical safety

assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases H304 May be fatal if swallowed and enters airways.

EUH066 Repeated exposure may cause skin dryness or cracking.

Classification according to

Regulation (EC) No 1272/2008 The classification of the mixture is generally based on the calculation method

using substance data according to Regulation (EC) No 1272/2008.

**Department issuing SDS:** product safety department

Contact: Hr. Dr. Starp

Version number of previous

version: 3.1

(Contd. on page 11)



Revision: 15.12.2023

Printing date 15.12.2023

Version number 3.2 (replaces version 3.1)

# Trade name: Polymer Composite Maintenance Oil

(Contd. of page 10)

Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route

(European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Asp. Tox. 1: Aspiration hazard - Category 1

**Sources** 

Safety data sheets from raw material suppliers

ESIS: European chemical Substances Information System

**ECHA Portal** 

\* Data compared to the

previous version altered. Additions, Deletions, Revisions

Updated according to regulation (EU) 2020/878 amending regulation (EC) No:

1907/2006 (REACH)