

according to 1907/2006/EC, Article 31

Printing date 25.08.2022

Version number 6.3 (replaces version 6.2)

Revision: 26.10.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1 Product identifier		
Trade name:	Polyx-Oil Anti-Slip	
Article number:	3088, 3089	
1.2 Relevant identified uses		
of the substance or mixture		
and uses advised against	No further relevant information available.	
Application of the substance		
/ the mixture	Coating compound/ Surface coating/ paint Paint	
1.3 Details of the supplier of the safety data sheet		
Manufacturer/Supplier:	Osmo Holz und Color GmbH & Co. KG	
	Affhüppen Esch 12	
	D-48231 Warendorf	
Further information	Germany	
obtainable from:	Product safety department	
	Tel.: +49 (0) 251 / 692 - 188	
	Fax: +49 (0) 251 / 692 - 462	
	e-mail: helmut.starp@osmo.de	
1.4 Emergency telephone		
number:	emergency phone no. Berlin (24h): +49 (0) 30 / 30686 790 advisory service in German and English	

SECTION 2: Hazards identification

 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 The product is not classified, according to the CLP regulation. Additional information: For the wording of the listed hazard phrases refer to section 16. 	
2.2 Label elements	
Hazard pictograms	Void
Signal word	Void
Hazard statements	Void
Precautionary statements	 P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P262 Do not get in eyes, on skin, or on clothing. P271 Use only outdoors or in a well-ventilated area.
Additional information:	EUH210 Safety data sheet available on request.
2.3 Other hazards	Warning:
	Wash out any used cloth impregnated with this product immediately after use or store in an airtight container (danger of self-ignition) Always wear a dust mask when sanding. Observe the general safety regulations when handling chemicals.
	(Contd. on page 2)



according to 1907/2006/EC, Article 31

Version number 6.3 (replaces version 6.2)

Revision: 26.10.2021

(Contd. of page 1)

Trade name: Polyx-Oil Anti-Slip

Results of PBT and vPvB assessmentPBT:Not applicable.vPvB:Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures Description:

Printing date 25.08.2022

Mixture of substances listed below with nonhazardous additions.

Dangerous components:			
EC number: 918-481-9 alipha	atic hydrocarbons, C10-C13	🚸 Asp. Tox. 1, H304, EUH066	30–50%
SVHC	Not applicable.		
Additional information: For the wording of the listed		hazard phrases refer to section 16.	

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:	Take affected persons out into the freeh air				
	Take affected persons out into the fresh air.				
After inhalation:	Supply fresh air; consult doctor in case of complaints.				
	In case of unconsciousness place patient stably in side position for				
	transportation.				
After skin contact:	Immediately wash with water and soap and rinse thoroughly.				
	If skin irritation or rash occurs: Get medical advice/attention.				
After eye contact:	Rinse opened eye for several minutes under running water. If symptoms				
-	persist, consult a doctor.				
After swallowing:	If swallowed, seek medical advice immediately and show this container or				
C	label.				
	Do NOT induce vomiting.				
4.2 Most important symptoms	5				
and effects, both acute and	and effects, both acute and				
delayed	Headache				
	Dizziness				
4.3 Indication of any					
immediate medical attention					
and special treatment needed If swallowed or in case of vomiting, danger of entering the lungs.					

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

(Contd. on page 3)

Page 3/11



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 25.08.2022

Version number 6.3 (replaces version 6.2)

Revision: 26.10.2021

Trade name: Polyx-Oil Anti-Slip

(Contd. of page 2)	
Water with full jet	
Formation of toxic gases is possible during heating or in case of fire.	
Carbon monoxide (CO)	
carbon dioxide (CO2)	
Mouth respiratory protective device.	
Do not inhale explosion gases or combustion gases.	
Wear self-contained respiratory protective device.	
General measures for chemical fires.	
Dispose of fire debris and contaminated fire fighting water in accordance with	
official regulations.	
Cool endangered receptacles with water spray.	
	 Water with full jet Formation of toxic gases is possible during heating or in case of fire. Carbon monoxide (CO) carbon dioxide (CO2) Mouth respiratory protective device. Do not inhale explosion gases or combustion gases. Wear self-contained respiratory protective device. General measures for chemical fires. Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions,	
protective equipment and	
emergency procedures	Ensure adequate ventilation
	Keep away from ignition sources.
	Wear protective clothing.
For non-emergency	
personnel	No action shall be taken involving any personal risk or without suitable training.
For emergency responders	Wear protective equipment. Keep unprotected persons away.
6.2 Environmental	
precautions:	Inform respective authorities in case of seepage into water course or sewage
	system.
	Do not allow to enter sewers/ surface or ground water.
6.3 Methods and material for	u u u u u u u u u u u u u u u u u u u
containment and cleaning up	: Absorb with liquid-binding material (sand, diatomite, acid binders, universal
0,	binders).
	Dispose of the material collected according to regulations.
	Dispose contaminated material as waste according to item 13.
	Ensure adequate ventilation.
6.4 Reference to other	
sections	No dangerous substances are released.
	See Section 7 for information on safe handling.
	See Section 8 for information on personal protection equipment.
	See Section 13 for disposal information.
	(Contd. on page 4)
	(



according to 1907/2006/EC, Article 31

Printing date 25.08.2022 Version number 6.3 (replaces version 6.2)

Revision: 26.10.2021

	(Contd. of pa
SECTION 7: Handling an	d storage
7.1 Precautions for safe	
handling	Use only in well ventilated areas.
	Ensure good ventilation/exhaustion at the workplace.
	Open and handle receptacle with care.
	Prevent formation of aerosols.
General protective and	
hygienic measures:	Wash hands before breaks and at the end of work.
	Do not inhale gases / fumes / aerosols.
	Do not eat, drink, smoke or sniff while working.
Information about fire - and	Do not carry product impregnated cleaning cloths in trouser pockets.
explosion protection:	Keep respiratory protective device available.
Handling:	Even a small sip can lead to life-threatening damage to the lungs. Keep rag
-	filled with this liquid out of the reach of children.
storerooms and receptacles: Information about storage in one common storage facility: Further information about storage conditions: Storage class: 7.3 Specific end use(s)	
8.1 Control parameters	
-	hat require monitoring at the workplace:
aliphatic hydrocarbons, C10-0	
TWA Short-term value: 1200 m	
CEFIC-HSPA	
Additional information:	The lists valid during the making were used as basis.
8.2 Exposure controls	
Appropriate engineering	
controls	Ensure good ventilation/exhaustion at the workplace.
	(Contd. on pa



according to 1907/2006/EC, Article 31

Version number 6.3 (replaces version 6.2)

Revision: 26.10.2021

Printing date 25.08.2022

Individual protoction masses	(Contd. of page
-	res, such as personal protective equipment
General protective and	-
hygienic measures:	The usual precautionary measures are to be adhered to when handling chemicals.
	Do not eat, drink, smoke or sniff while working.
	Do not carry product impregnated cleaning cloths in trouser pockets. See Section 7 for information on safe handling.
Respiratory protection:	Use suitable respiratory protective device only when aerosol or mist is forme Not necessary if room is well-ventilated.
	In case of brief exposure or low pollution use respiratory filter device. In case
	of intensive or longer exposure use self-contained respiratory protective device.
	Half mask with round thread connection EN 148-1 (screw-on filter) and
	combination filter A1 - P2 according to German DIN EN 14387.
	Use a properly fitted, air-purifying or air-fed repirator complying with an
	approved standard if a risk assessment indicates this is necessary.
Hand protection	To avoid skin problems reduce the wearing of gloves to the required minimu
	Protective gloves
	The glove material has to be impermeable and resistant to the product/ the
	substance/ the preparation.
	Selection of the glove material on consideration of the penetration times, rate
	of diffusion and the degradation
Material of gloves	The selection of the suitable gloves does not only depend on the material, but
	also on further marks of quality and varies from manufacturer to manufactur As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
Penetration time of glove	
material	The exact break trough time has to be found out by the manufacturer of the
material	protective gloves and has to be observed.
For the permanent contact	
gloves made of the following	1
materials are suitable:	, Nitrile rubber. NBR
	Recommended thickness of the material: ≥ 0.4 mm
	For the mixture the penetration time has to be at least 480 minutes
	(Permeation according to EN 374 Part 3: Level 6).
As protection from splashes	
gloves made of the following	
materials are suitable:	, Nitrile rubber, NBR
Eye/face protection	Tightly sealed goggles
Body protection:	Protective work clothing
	(Contd. on page
	(00.021 0.0 P-3)



according to 1907/2006/EC, Article 31

Printing date 25.08.2022 Version number 6.3 (replaces version 6.2)

Revision: 26.10.2021

Trade name: Polyx-Oil Anti-Slip

(Contd. of page 5)

9.1 Information on basic physical and chemical p	roperties
General Information	
Physical state	Fluid
Colour:	Yellowish
Odour:	Mild
Odour threshold:	Not determined.
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling	
range	> 144 °C
Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	0.7 Vol %
Upper:	6.0 Vol %
Flash point:	>63 °C (DIN EN ISO 2719)
Ignition temperature:	240 °C
Decomposition temperature:	Not determined.
рН	Mixture is non-polar/aprotic.
Viscosity:	· ·
Kinematic viscosity at 20 °C	30–45 s (DIN EN ISO 2431/4mm)
-	>21 mm²/s (40°C) (calculated)
Dynamic:	Not determined.
Solubility	
water:	Not miscible or difficult to mix.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure at 20 °C:	1 hPa
Density and/or relative density	
Density at 20 °C:	0.88–0.91 g/cm³ (DIN 51757)
Relative density	Not determined.
9.2 Other information	
Appearance:	
Form:	Viscous
Important information on protection of health and	1
environment, and on safety.	
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Solvent content:	· ·
VOC (EC)	< 500 g/l (VOC-max. Cat A/i (2010) = 500 g/l)
Change in condition	
Evaporation rate	Not determined.



according to 1907/2006/EC, Article 31

Printing date 25.08.2022

Version number 6.3 (replaces version 6.2)

Revision: 26.10.2021

		(Contd. of pag
Information with regard to physical hazard cl	asses	
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flamma	able	
gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

10.1 Reactivity	No further relevant information available.
10.2 Chemical stability	
Thermal decomposition /	
conditions to be avoided:	No decomposition if used and stored according to specifications.
10.3 Possibility of hazardous	
reactions	Reacts with fabric soaked in the product (e.g. cleaning wool).
10.4 Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
10.5 Incompatible materials:	No further relevant information available.
10.6 Hazardous	
decomposition products:	Carbon monoxide and carbon dioxide
	Nitrogen oxides (NOx)
	Formation of toxic gases is possible during heating or in case of fire.
Additional information:	Warning:
	Wash out any used cloth impregnated with this product immediately after use or store in an airtight container (danger of self-ignition)
	(Contd. on page



according to 1907/2006/EC, Article 31

Printing date 25.08.2022

Version number 6.3 (replaces version 6.2)

Revision: 26.10.2021

_{Trade name:} Polyx-Oil Anti-Slip

(Contd. of page 7)

SECTION 11: Toxicological information

	11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008				
	Acute tox	ricity		Based on available data, the classification criteria are not met.	
	LD/LC50 v	values rele	evant for cl	assification:	
	aliphatic h	hydrocarbo	ons, C10-C	13	
	Oral	LD50	>5,000 mg	j/kg (rat)	
	Dermal	LD50	>5,000 mg	y/kg (rat)	
	Inhalative	LC50 / 4h	>5 mg/l (ra	at)	
	Skin corre	osion/irrita	tion	Based on available data, the classification criteria are not met.	
	Serious eye damage/irritation Based on available data, the classification criteria are not met.				
	Respiratory or skin				
	sensitisat	tion		Based on available data, the classification criteria are not met.	
	Germ cell mutagenicity		city	Based on available data, the classification criteria are not met.	
	Carcinogenicity			Based on available data, the classification criteria are not met.	
Reproductive toxicity		ty	Based on available data, the classification criteria are not met.		
	STOT-single exposure		ıre	Based on available data, the classification criteria are not met.	
	STOT-repeated exposure		osure	Based on available data, the classification criteria are not met.	
	Aspiration hazard			Based on available data, the classification criteria are not met.	
	11.2 Infor	mation on	other haza	ards	
	Endocrine disrupting properties				
	None of the ingredients is listed.				

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:					
aliphatic hydrocarbons, C10-C13					
EC50 / 48h	EC50 / 48h >1,000 mg/l (Daphnia magna)				
IC50 / 72h	>1,000 mg/l (algae)			
LC50 / 96h	>1,000 mg/l (fish)				
12.2 Persistence and					
degradabil	ity	No further relevant information available.			
12.3 Bioaccumulative					
potential		No further relevant information available.			
12.4 Mobility in soil		No further relevant information available.			
12.5 Results of PBT and vPvB assessment					
PBT:		Not applicable.			
vPvB:		Not applicable.			
			(Contd. on page 0)		

(Contd. on page 9)

Page 9/11



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 25.08.2022

Version number 6.3 (replaces version 6.2)

Revision: 26.10.2021

Trade name: Polyx-Oil Anti-Slip

 12.6 Endocrine disrupting
 (Contd. of page 8)

 properties
 The product does not contain substances with endocrine disrupting properties.

 12.7 Other adverse effects
 Additional ecological information:

 General notes:
 Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

 Danger to drinking water if even small quantities leak into the ground.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

Europea	n waste catalogue		
08 01 12	waste paint and varnish other than those mentioned in 08 01 11		
15 01 04	metallic packaging		
Uncleane	ed packaging:		
	endation:	Disposal must be made according to official regulations.	
Recomm	ended cleansing		
agents:		Solvent naphtha	

Osmo Brush Cleaner and Thinner

14.1 UN number or ID number		
ADR, ADN, IMDG, IATA	Not applicable	
14.2 UN proper shipping name		
ADR, ADN, IMDG, IATA	Not applicable	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Not applicable	
14.4 Packing group		
ADR, IMDG, IATA	Not applicable	
14.5 Environmental hazards:		
Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	



according to 1907/2006/EC, Article 31

Revision: 26.10.2021

Printing date 25.08.2022 Version number 6.3 (replaces version 6.2) Trade name: Polyx-Oil Anti-Slip (Contd. of page 9) 14.7 Maritime transport in bulk according to IMO instruments Not applicable. UN "Model Regulation": Not applicable SECTION 15: Regulatory information 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Directive 2012/18/EU Named dangerous substances - ANNEX I None of the ingredients is listed. DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II None of the ingredients is listed. **REGULATION (EU) 2019/1148** Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3)) None of the ingredients is listed. Annex II - REPORTABLE EXPLOSIVES PRECURSORS None of the ingredients is listed. Regulation (EC) No 273/2004 on drug precursors None of the ingredients is listed. Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors None of the ingredients is listed. National regulations: GISCODE: Ö60 GISBAU-Code VOC (EC) < 500 g/l (VOC-max. = 500 g/l (2010 A/i)) 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out. SECTION 16: Other information This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. Reasons for alterations Reach Annex II (2021)

Relevant phrases

Formal Changes May be fatal if swallowed and enters airways. H304 EUH066 Repeated exposure may cause skin dryness or cracking.

(Contd. on page 11)

- FU

Page 11/11



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 25.08.2022

Version number 6.3 (replaces version 6.2)

Revision: 26.10.2021

FU

	(Contd. of page 10
Classification according to	
,	The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.
Department issuing SDS:	product safety department
Contact:	Hr. Dr. Starp
Date of previous version:	07.02.2020
Version number of previous	
version:	6.2
	ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Asp. Tox. 1: Aspiration hazard – Category 1
	ECHA Portal Safety data sheets from raw material suppliers ESIS : European chemical Substances Information System
* Data compared to the	
previous version altered.	Additions, Deletions, Revisions
	Updated according to regulation (EU) 2020/878 amending regulation (EC) No:
	1907/2006 (REACH)