

Printing date 06.04.2023 Version number 5.2 (replaces version 5.1) Revision: 03.02.2021

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Polyx® Oil Effect

**Article number:** 3041, 3044, 3092

1.2 Relevant identified uses of the substance or mixture

and uses advised against No further relevant information available.

Application of the substance

/ the mixture Paint

Coating compound/ Surface coating/ paint

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: Osmo Holz und Color GmbH & Co. KG

Affhüppen Esch 12 D-48231 Warendorf

Germany

Further information

obtainable from: Product safety department

Tel.: +49 (0) 251 / 692 - 188 Fax: +49 (0) 251 / 692 - 462 e-mail: helmut.starp@osmo.de

1.4 Emergency telephone

number: emergency phone no. Berlin (24h): +49 (0) 30 / 30686 790 advisory service in

German and English

#### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Classification according to

**Regulation (EC) No 1272/2008** The product is not classified, according to the CLP regulation. **Additional information:**For the wording of the listed hazard phrases refer to section 16.

2.2 Label elements

Hazard pictogramsVoidSignal wordVoidHazard statementsVoid

**Precautionary statements** P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P262 Do not get in eyes, on skin, or on clothing. P271 Use only outdoors or in a well-ventilated area. EUH210 Safety data sheet available on request.

**Additional information:** EUH210 Saf **2.3 Other hazards** Warning:

Wash out any used cloth impregnated with this product immediately after use

or store in an airtight container (danger of self-ignition)

Always wear a dust mask when sanding.

Observe the general safety regulations when handling chemicals.

(Contd. on page 2)



Printing date 06.04.2023 Version number 5.2 (replaces version 5.1) Revision: 03.02.2021

Trade name: Polyx® Oil Effect

(Contd. of page 1)

Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

### SECTION 3: Composition/information on ingredients

3.2 Mixtures

**Description:** Mixture of substances listed below with nonhazardous additions.

Dangerous components:

EC number: 918-481-9 aliphatic hydrocarbons, C10-C13

**&** Asp. Tox. 1, H304, EUH066

30-50%

**SVHC** Not applicable.

**Additional information:** For the wording of the listed hazard phrases refer to section 16.

#### SECTION 4: First aid measures

4.1 Description of first aid measures

**General information:** Take affected persons out into the fresh air.

**After inhalation:** Supply fresh air; consult doctor in case of complaints.

In case of unconsciousness place patient stably in side position for

transportation.

**After skin contact:** Immediately rinse with water.

Immediately wash with water and soap and rinse thoroughly. If skin irritation or rash occurs: Get medical advice/attention.

After eye contact: Rinse opened eye for several minutes under running water. If symptoms

persist, consult a doctor.

After swallowing: If swallowed, seek medical advice immediately and show this container or

lahel

Do NOT induce vomiting.

4.2 Most important symptoms

and effects, both acute and

**delayed** Headache Dizziness

4.3 Indication of any

immediate medical attention

and special treatment needed If swallowed or in case of vomiting, danger of entering the lungs.

#### SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing

agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol

resistant foam.

(Contd. on page 3)

## Safety data sheet



according to 1907/2006/EC, Article 31

Printing date 06.04.2023 Version number 5.2 (replaces version 5.1) Revision: 03.02.2021

Trade name: Polyx® Oil Effect

(Contd. of page 2)

For safety reasons unsuitable

extinguishing agents: Water with full jet

5.2 Special hazards arising from the substance or

*mixture* Formation of toxic gases is possible during heating or in case of fire.

Carbon monoxide (CO)

5.3 Advice for firefighters

**Protective equipment:** Mouth respiratory protective device.

Do not inhale explosion gases or combustion gases. Wear self-contained respiratory protective device.

General measures for chemical fires.

Additional information Dispose of fire debris and contaminated fire fighting water in accordance with

official regulations.

Cool endangered receptacles with water spray.

### SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and

emergency procedures Ensure adequate ventilation

Keep away from ignition sources.

Wear protective clothing.

For non-emergency

personnel No action shall be taken involving any personal risk or without suitable training.

For emergency responders

6.2 Environmental

precautions:

Wear protective equipment. Keep unprotected persons away.

Inform respective authorities in case of seepage into water course or sewage

system.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for

containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal

binders).

Dispose of the material collected according to regulations.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

6.4 Reference to other

**sections** See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### SECTION 7: Handling and storage

7.1 Precautions for safe

**handling** Use only in well ventilated areas.

(Contd. on page 4)



Revision: 03.02.2021

Printing date 06.04.2023 Version number 5.2 (replaces version 5.1)

Trade name: Polyx® Oil Effect

(Contd. of page 3)

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

General protective and

hygienic measures: Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Do not eat, drink, smoke or sniff while working.

Do not carry product impregnated cleaning cloths in trouser pockets.

Information about fire - and

**explosion protection:** Keep respiratory protective device available.

Handling: Even a small sip can lead to life-threatening damage to the lungs. Keep rags

filled with this liquid out of the reach of children.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by

storerooms and receptacles: Store only in the original receptacle.

Information about storage in

one common storage facility: Not required.

Further information about

**storage conditions:** Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Storage class: VCI storage class (VCI = German Association of the Chemical Industry): 10

**7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

aliphatic hydrocarbons, C10-C13

TWA Short-term value: 1200 mg/m<sup>3</sup>

**CEFIC-HSPA** 

**Additional information:** The lists valid during the making were used as basis.

8.2 Exposure controls

Appropriate engineering

controls Ensure good ventilation/exhaustion at the workplace.

Individual protection measures, such as personal protective equipment

General protective and

hygienic measures: The usual precautionary measures are to be adhered to when handling

chemicals.

Do not eat, drink, smoke or sniff while working.

Do not carry product impregnated cleaning cloths in trouser pockets.

See Section 7 for information on safe handling.

(Contd. on page 5)



Printing date 06.04.2023 Version number 5.2 (replaces version 5.1) Revision: 03.02.2021

Trade name: Polyx® Oil Effect

(Contd. of page 4)

**Respiratory protection:** Use suitable respiratory protective device only when aerosol or mist is formed.

Not necessary if room is well-ventilated.

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective

device.

Half mask with round thread connection EN 148-1 (screw-on filter) and

combination filter A1 - P2 according to German DIN EN 14387.

Use a properly fitted, air-purifying or air-fed repirator complying with an approved standard if a risk assessment indicates this is necessary.

**Hand protection** To avoid skin problems reduce the wearing of gloves to the required minimum.

Protective gloves

The glove material has to be impermeable and resistant to the product/ the

substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates

of diffusion and the degradation

Material of gloves The selection of the suitable gloves does not only depend on the material, but

also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be

checked prior to the application.

Penetration time of glove

material

The exact break trough time has to be found out by the manufacturer of the

protective gloves and has to be observed.

For the permanent contact gloves made of the following

materials are suitable:

Nitrile rubber, NBR

Recommended thickness of the material:  $\geq$  0.4 mm

For the mixture the penetration time has to be at least 480 minutes

(Permeation according to EN 374 Part 3: Level 6).

As protection from splashes gloves made of the following

materials are suitable:
Eye/face protection
Body protection:

Nitrile rubber, NBR Tightly sealed goggles Protective work clothing

### SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state Fluid

Colour: According to product specification

Odour: Mild

Odour threshold: Not determined.

(Contd. on page 6)



Revision: 03.02.2021

Printing date 06.04.2023

Version number 5.2 (replaces version 5.1)

Trade name: Polyx® Oil Effect

(Contd. of page 5)

*Melting point/freezing point:* Undetermined.

Boiling point or initial boiling point and boiling

range> 180 °CFlammabilityNot applicable.

Lower and upper explosion limit

Lower:0.7 Vol % (aliphatic hydrocarbons, C10-C13)Upper:6.0 Vol % (aliphatic hydrocarbons, C10-C13)

Flash point: > 60 °C (DIN EN ISO 2719)

Auto-ignition temperature: 240 °C

**Decomposition temperature:** Not determined.

**pH** Mixture is non-polar/aprotic.

Viscosity:

Kinematic viscosity at 20 °C 25–50 s (DIN EN ISO 2431/4mm)

>21 mm<sup>2</sup>/s (40°C) (calculated)

Kinematic viscosity

**Dynamic:** Not determined.

Solubility

water: Not miscible or difficult to mix.

Partition coefficient n-octanol/water (log value)Not determined.Vapour pressure:Not determined.

Vapour pressure:

Density and/or relative density

**Density at 20 °C:** 0.905–0.95 g/cm³ (DIN 51757)

**Relative density** Not determined.

9.2 Other information

Appearance:

Form: Viscous

Important information on protection of health and

environment, and on safety.

**Ignition temperature:** Product is not selfigniting.

Explosive properties: Product does not present an explosion hazard.

Solvent content:

**VOC (EC)** < 500 g/l (VOC-max. Cat A/i (2010) = 500 g/l)

Change in condition

**Evaporation rate** Not determined.

Information with regard to physical hazard classes

ExplosivesVoidFlammable gasesVoidAerosolsVoidOxidising gasesVoidGases under pressureVoidFlammable liquidsVoid

(Contd. on page 7)

Void



Printing date 06.04.2023 Version number 5.2 (replaces version 5.1) Revision: 03.02.2021

Trade name: Polyx® Oil Effect

Flammable solids

(Contd. of page 6)

Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable	
gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

### SECTION 10: Stability and reactivity

**10.1 Reactivity** No further relevant information available.

10.2 Chemical stability
Thermal decomposition /

conditions to be avoided: No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous

**reactions** Reacts with fabric soaked in the product (e.g. cleaning wool).

**10.4 Conditions to avoid** Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous

decomposition products: Carbon monoxide and carbon dioxide

Nitrogen oxides (NOx)

Formation of toxic gases is possible during heating or in case of fire.

Additional information:

Warning:

Wash out any used cloth impregnated with this product immediately after use

or store in an airtight container (danger of self-ignition)

### SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50	values rele	vant for classification:
Oral	ATE-Wert	mg/kg
aliphatic	hydrocarbo	ons, C10-C13
Oral	LD50	>5,000 mg/kg (rat)

(Contd. on page 8)



Revision: 03.02.2021

Printing date 06.04.2023 Version number 5.2 (replaces version 5.1)

Trade name: Polyx® Oil Effect

(Contd. of page 7)

| Dermal | LD50 | >5,000 mg/kg (rat) | | Inhalative | LC50 / 4h | >5 mg/l (rat) |

**Skin corrosion/irritation** Based on available data, the classification criteria are not met. **Serious eye damage/irritation** Based on available data, the classification criteria are not met.

Respiratory or skin

sensitisationBased on available data, the classification criteria are not met.Germ cell mutagenicityBased on available data, the classification criteria are not met.CarcinogenicityBased on available data, the classification criteria are not met.Reproductive toxicityBased on available data, the classification criteria are not met.STOT-single exposureBased on available data, the classification criteria are not met.STOT-repeated exposureBased on available data, the classification criteria are not met.Aspiration hazardBased on available data, the classification criteria are not met.Subacute to chronic toxicity:Based on available data, the classification criteria are not met.

11.2 Information on other hazards

**Endocrine disrupting properties** 

None of the ingredients is listed.

### SECTION 12: Ecological information

#### 12.1 Toxicity

	toxicity:

#### aliphatic hydrocarbons, C10-C13

EC50 / 48h >1,000 mg/l (Daphnia magna)

IC50 / 72h | >1,000 mg/l (algae) LC50 / 96h | >1,000 mg/l (fish)

12.2 Persistence and

degradability No further relevant information available.

12.3 Bioaccumulative

potentialNo further relevant information available.12.4 Mobility in soilNo further relevant information available.

12.5 Results of PBT and vPvB assessmentPBT: Not applicable.vPvB: Not applicable.

12.6 Endocrine disrupting

**properties**The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Additional ecological information:

General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly

hazardous for water

(Contd. on page 9)



Revision: 03.02.2021

Printing date 06.04.2023

Version number 5.2 (replaces version 5.1)

Trade name: Polyx® Oil Effect

(Contd. of page 8)

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

**Recommendation** Must not be disposed together with household garbage. Do not allow product

to reach sewage system.

Disposal must be made according to official regulations.

Europea	European waste catalogue		
08 01 12	waste paint and varnish other than those mentioned in 08 01 11		
15 01 04	metallic packaging		

Uncleaned packaging:

Recommendation:

Disposal must be made according to official regulations.

Recommended cleansing

agents:

Solvent naphtha

Osmo Brush Cleaner and Thinner

14.1 UN number or ID number		
ADR, ADN, IMDG, IATA	Not applicable	
14.2 UN proper shipping name		
ADR	Not applicable	
ADN, IMDG, IATA	Not applicable	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Not applicable	
14.4 Packing group		
ADR, IMDG, IATA	Not applicable	
14.5 Environmental hazards:		
Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
14.7 Maritime transport in bulk according	to IMO	
instruments	Not applicable.	
UN "Model Regulation":	Not applicable	

- El



Revision: 03.02.2021

Printing date 06.04.2023 Version number 5.2 (replaces version 5.1)

Trade name: Polyx® Oil Effect

(Contd. of page 9)

### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU Named dangerous

**substances - ANNEX I** None of the ingredients is listed.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

**REGULATION (EU) 2019/1148** 

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

National regulations:

GISBAU-Code GISCODE: Ö60

**VOC (EC)** < 500 g/l (VOC-max. = 500 g/l (2010 A/i))

15.2 Chemical safety

assessment: A Chemical Safety Assessment has not been carried out.

#### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Reasons for alterations Reach Annex II (2021)

Relevant phrases H304 May be fatal if swallowed and enters airways.

EUH066 Repeated exposure may cause skin dryness or cracking.

Recommended restriction of

**use** Keep out of the reach of children

Classification according to

Regulation (EC) No 1272/2008 Calculation method

**Department issuing SDS:** product safety department

Contact: Hr. Dr. Starp

(Contd. on page 11)

version:

### Safety data sheet according to 1907/2006/EC, Article 31



Printing date 06.04.2023 Version number 5.2 (replaces version 5.1) Revision: 03.02.2021

Trade name: Polyx® Oil Effect

(Contd. of page 10)

Date of previous version:

28.01.2020

Version number of previous

5.1

Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route

(European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Asp. Tox. 1: Aspiration hazard – Category 1

Sources ESIS: European chemical Substances Information System

**ECHA Portal** 

Safety data sheets from raw material suppliers

\* Data compared to the

previous version altered. Additions, Deletions, Revisions

Updated according to regulation (EU) 2020/878 amending regulation (EC) No:

1907/2006 (REACH)