### Safety data sheet



### according to 1907/2006/EC, Article 31

Printing date 10.02.2022 Version number 8.2 (replaces version 8.1) Revision: 25.01.2022

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Polyx®-Oil Tints

**Article number:** 3040, 3044, 3067, 3071, 3072, 3073, 3074, 3075

1.2 Relevant identified uses of the substance or mixture

and uses advised against No further relevant information available.

Application of the substance

/ the mixture Priming

Coating compound/ Surface coating/ paint

1.3 Details of the supplier of the safety data sheet

Further information

obtainable from: Product safety department

Tel.: +49 (0) 251 / 692 - 188 Fax: +49 (0) 251 / 692 - 462 e-mail: helmut.starp@osmo.de

1.4 Emergency telephone

number: emergency phone no. Berlin (24h): +49 (0) 30 / 30686 790 advisory service in

German and English

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Classification according to

Regulation (EC) No 1272/2008 The product is not classified, according to the CLP regulation.

2.2 Label elements

Hazard pictogramsVoidSignal wordVoidHazard statementsVoid

**Precautionary statements** P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P262 Do not get in eyes, on skin, or on clothing.
P271 Use only outdoors or in a well-ventilated area.
EUH210 Safety data sheet available on request

**Additional information:** EUH210 Safety data sheet available on request.

EUH211 Warning! Hazardous respirable droplets may be formed when

sprayed. Do not breathe spray or mist.

**2.3 Other hazards** Observe the general safety regulations when handling chemicals.

Always wear a dust mask when sanding.

Warning:

Wash out any used cloth impregnated with this product immediately after use

or store in an airtight container (danger of self-ignition)

Results of PBT and vPvB assessment

**PBT:** Not applicable.

(Contd. on page 2)



Printing date 10.02.2022 Version number 8.2 (replaces version 8.1) Revision: 25.01.2022

Trade name: Polyx®-Oil Tints

(Contd. of page 1)

*vPvB:* Not applicable.

### SECTION 3: Composition/information on ingredients

3.2 Mixtures

**Description:** Mixture of substances listed below with nonhazardous additions.

Dangerous components:					
EC number: 918-481-9	aliphatic hydrocarbons, C10-C13	30–50%			
	🗞 Asp. Tox. 1, H304, EUH066				
CAS: 13463-67-7	titanium dioxide - aerodynamic dia meter >10 μm	0-<5%			
EINECS: 236-675-5					

Additional information: The content of Titanium dioxide varies according to the colour shade.

Note 10: The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter  $\leq$  10  $\mu$ m.

For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

### 4.1 Description of first aid measures

**General information:** Take affected persons out into the fresh air.

After inhalation: Supply fresh air; consult doctor in case of complaints.

**After skin contact:** Generally the product does not irritate the skin.

After eye contact: Rinse opened eye for several minutes under running water. If symptoms

persist, consult a doctor.

After swallowing: If swallowed, seek medical advice immediately and show this container or

label.

Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and

and effects, both acute and

**delayed** Dizziness Headache

4.3 Indication of any

immediate medical attention

and special treatment needed No further relevant information available.

### SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing

agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol

resistant foam.

(Contd. on page 3)

### Safety data sheet



### according to 1907/2006/EC, Article 31

Printing date 10.02.2022 Version number 8.2 (replaces version 8.1) Revision: 25.01.2022

Trade name: Polyx®-Oil Tints

(Contd. of page 2)

For safety reasons unsuitable

extinguishing agents: Water with full jet

5.2 Special hazards arising from the substance or

mixture Formation of toxic gases is possible during heating or in case of fire.

5.3 Advice for firefighters

**Protective equipment:** Mouth respiratory protective device.

**Additional information** Cool endangered receptacles with water spray.

Dispose of fire debris and contaminated fire fighting water in accordance with

official regulations.

### SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and

emergency procedures Ensure adequate ventilation

Keep away from ignition sources.

6.2 Environmental

precautions: Inform respective authorities in case of seepage into water course or sewage

system.

6.3 Methods and material for

containment and cleaning up: Warm water and cleansing agent

Absorb with liquid-binding material (sand, diatomite, acid binders, universal

binders).

6.4 Reference to other

**sections** See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### SECTION 7: Handling and storage

7.1 Precautions for safe

**handling** Use only in well ventilated areas.

Keep receptacles tightly sealed.

Information about fire - and

**explosion protection:** No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by

storerooms and receptacles: Store only in the original receptacle.

Information about storage in

one common storage facility: Not required.

Further information about

storage conditions: None.

(Contd. on page 4)



Printing date 10.02.2022 Version number 8.2 (replaces version 8.1) Revision: 25.01.2022

Trade name: Polyx®-Oil Tints

(Contd. of page 3)

Storage class: 10

**7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

aliphatic hydrocarbons, C10-C13

TWA Short-term value: 1200 mg/m³

**CEFIC-HSPA** 

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls Appropriate engineering

controls No further data; see item 7.

Individual protection measures, such as personal protective equipment

General protective and

**hygienic measures:** Do not eat, drink, smoke or sniff while working.

Do not carry product impregnated cleaning cloths in trouser pockets.

**Respiratory protection:** Use suitable respiratory protective device only when aerosol or mist is formed.

Use a properly fitted, air-purifying or air-fed repirator complying with an approved standard if a risk assessment indicates this is necessary. Half mask with round thread connection EN 148-1 (screw-on filter) and

combination filter A1 - P2 according to German DIN EN 14387.

Not necessary if room is well-ventilated.

**Hand protection** To avoid skin problems reduce the wearing of gloves to the required minimum.

The glove material has to be impermeable and resistant to the product/ the

substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates

of diffusion and the degradation

also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be

checked prior to the application.

Penetration time of glove

material The exact break trough time has to be found out by the manufacturer of the

protective gloves and has to be observed.

For the permanent contact gloves made of the following

materials are suitable: Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.4 mm

(Contd. on page 5)



Printing date 10.02.2022 Version number 8.2 (replaces version 8.1) Revision: 25.01.2022

Trade name: Polyx®-Oil Tints

(Contd. of page 4)

For the mixture of chemicals mentioned below the penetration time has to be at least 480 minutes (Permeation according to EN 16523-1:2015: Level 6).

For the permanent contact of a maximum of 15 minutes gloves made of the following

materials are suitable: Nitrile rubber, NBR

Eye/face protection Goggles recommended during refilling

**Body protection:** Protective work clothing

### SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

**General Information** 

**Colour:** According to product specification

Odour: Mild

Melting point/freezing point: Undetermined.

Boiling point or initial boiling point and boiling

*range* > 180 °C (365 °F)

Lower and upper explosion limit

 Lower:
 0.7 Vol %

 Upper:
 6.0 Vol %

Flash point:> 60 °C (DIN EN ISO 2719)Auto-ignition temperature:Product is not selfigniting.

**pH** Not applicable.

Viscosity:

Kinematic viscosity at 20 °C 25-40 s (DIN EN ISO 2431/4mm)

>21 mm²/s (40°C) (calculated)

**Dynamic:** Not determined.

Solubility

water: Not miscible or difficult to mix.

Density and/or relative density

**Density at 20 °C:** 0.85-0.95 g/cm³ (DIN 51757)

9.2 Other information

Appearance:

Form: Viscous

Important information on protection of health and

environment, and on safety.

*Ignition temperature:* 240 °C

**Explosive properties:** Product is not explosive. However, formation of

explosive air/vapour mixtures are possible.

Solvent content:

**VOC (EC)** < 500 g/l (VOC-max. Cat A/i (2010) = 500 g/l)

(Contd. on page 6)



Revision: 25.01.2022

Printing date 10.02.2022

Version number 8.2 (replaces version 8.1)

Trade name: Polyx®-Oil Tints (Contd. of page 5) Information with regard to physical hazard classes **Explosives** Void Flammable gases Void **Aerosols** Void Oxidising gases Void Gases under pressure Void Flammable liquids Void Flammable solids Void Self-reactive substances and mixtures Void Pyrophoric liquids Void Pyrophoric solids Void Self-heating substances and mixtures Void

(Contd. on page 7)



Printing date 10.02.2022 Version number 8.2 (replaces version 8.1) Revision: 25.01.2022

Trade name: Polyx®-Oil Tints

(Contd. of page 6)

Substances and mixtures, which emit flammable gases in contact with water

Void

Oxidising liquids

Void

Oxidising solids

Void

Organic peroxides

Void

Corrosive to metals

Void

Desensitised explosives

Void

### SECTION 10: Stability and reactivity

**10.1 Reactivity** No further relevant information available.

10.2 Chemical stability Thermal decomposition /

**conditions to be avoided:** No decomposition if used according to specifications.

10.3 Possibility of hazardous

**reactions** Reacts with fabric soaked in the product (e.g. cleaning wool).

**10.4 Conditions to avoid** Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous

decomposition products: Carbon monoxide and carbon dioxide

Nitrogen oxides (NOx)

Additional information: Warning:

Wash out any used cloth impregnated with this product immediately after use

or store in an airtight container (danger of self-ignition)

(Contd. on page 8)



Revision: 25.01.2022

Printing date 10.02.2022

Version number 8.2 (replaces version 8.1)

Trade name: Polyx®-Oil Tints

(Contd. of page 7)

### **SECTION 11: Toxicological information**

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50	LD/LC50 values relevant for classification:						
aliphatic	aliphatic hydrocarbons, C10-C13						
Oral	LD50	>5,000 mg/kg (rat)					
Dermal	LD50	>5,000 mg/kg (rat)					
Inhalative	LC50 / 4h	>5 mg/l (rat)					
13463-67-	13463-67-7 titanium dioxide - aerodynamic dia meter >10 μm						
Oral	LD50	>20,000 mg/kg (rat)					
Dermal	LD50	>10,000 mg/kg (rabbit)					

**Skin corrosion/irritation** Based on available data, the classification criteria are not met. **Serious eye damage/irritation** Based on available data, the classification criteria are not met.

Respiratory or skin

sensitisationBased on available data, the classification criteria are not met.Germ cell mutagenicityBased on available data, the classification criteria are not met.CarcinogenicityBased on available data, the classification criteria are not met.Reproductive toxicityBased on available data, the classification criteria are not met.STOT-single exposureBased on available data, the classification criteria are not met.STOT-repeated exposureBased on available data, the classification criteria are not met.Aspiration hazardBased on available data, the classification criteria are not met.

11.2 Information on other hazards

#### Endocrine disrupting properties

None of the ingredients is listed.

### SECTION 12: Ecological information

#### 12.1 Toxicity

Aquatic	toxicity:

### aliphatic hydrocarbons, C10-C13

EC50 / 48h | >1,000 mg/l (Daphnia magna)

IC50 / 72h | >1,000 mg/l (algae) LC50 / 96h | >1,000 mg/l (fish)

12.2 Persistence and

**degradability** No further relevant information available.

12.3 Bioaccumulative

potential No further relevant information available.12.4 Mobility in soil No further relevant information available.

(Contd. on page 9)



Printing date 10.02.2022 Version number 8.2 (replaces version 8.1) Revision: 25.01.2022

Trade name: Polyx®-Oil Tints

(Contd. of page 8)

12.5 Results of PBT and vPvB assessment PBT: Not applicable.

vPvB: Not applicable.

12.6 Endocrine disrupting

**properties** The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Additional ecological information:

General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly

hazardous for water

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

**Recommendation** Must not be disposed together with household garbage. Do not allow product

to reach sewage system.

European waste catalogue

08 01 12 waste paint and varnish other than those mentioned in 08 01 11

15 01 04 metallic packaging

Uncleaned packaging:

**Recommendation:** Disposal must be made according to official regulations.

Recommended cleansing

agents: Water, if necessary together with cleansing agents.

### SECTION 14: Transport information

14.1 UN	l number	or ID	number
---------	----------	-------	--------

ADR, ADN, IMDG, IATA Not applicable

14.2 UN proper shipping name

ADR, ADN, IMDG, IATA Not applicable

14.3 Transport hazard class(es)

ADR, ADN, IMDG, IATA

Class Not applicable

14.4 Packing group

ADR, IMDG, IATA Not applicable

14.5 Environmental hazards:

Marine pollutant: No

(Contd. on page 10)



Printing date 10.02.2022 Version number 8.2 (replaces version 8.1) Revision: 25.01.2022

Trade name: Polyx®-Oil Tints

(Contd. of page 9)

**14.6 Special precautions for user** Not applicable.

14.7 Maritime transport in bulk according to IMO

*instruments* Not applicable.

**Transport/Additional information:** Not dangerous according to the above specifications.

UN "Model Regulation": Not applicable

### SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU Named dangerous

**substances - ANNEX I** None of the ingredients is listed.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

**REGULATION (EU) 2019/1148** 

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

National regulations:

GISBAU-Code GISCODE: Ö60

**VOC (EC)** < 500 g/l (VOC-max. = 500 g/l (2010 A/i))

15.2 Chemical safety

assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Reasons for alterations Neues Format

(Contd. on page 11)



Printing date 10.02.2022 Version number 8.2 (replaces version 8.1) Revision: 25.01.2022

Trade name: Polyx®-Oil Tints

(Contd. of page 10)

**Relevant phrases** H304 May be fatal if swallowed and enters airways.

EUH066 Repeated exposure may cause skin dryness or cracking.

**Department issuing SDS:** product safety department

Contact: Hr. Dr. Starp
Date of previous version: 01.07.2020

Version number of previous

version: 8.1

Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route

(European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Asp. Tox. 1: Aspiration hazard – Category 1

**Sources** Safety data sheets from raw material suppliers

**ECHA Portal** 

ESIS: European chemical Substances Information System

ΕU