Page 1/11



## Safety data sheet

#### according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.04.2024

Version number 26.0 (replaces version 25.2)

Revision: 04.03.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking	
1.1 Product identifier	
Trade name:	Country Colour
Article number:	2101-2742
1.2 Relevant identified uses of the substance or mixture	& mixed colours
and uses advised against	No further relevant information available.
Application of the substance	
/ the mixture	Coating compound/ Surface coating/ paint Paint
1.3 Details of the supplier of t	he safety data sheet
Manufacturer/Supplier:	Osmo Holz und Color GmbH & Co. KG
	Affhüppen Esch 12
	D-48231 Warendorf
	Germany
Further information	-
obtainable from:	Product safety department
	Tel.: +49 (0) 251 / 692 - 188
	Fax: +49 (0) 251 / 692 - 462
	e-mail: helmut.starp@osmo.de
1.4 Emergency telephone	
number:	emergency phone no. Berlin (24h): +49 (0) 30 / 30686 790 advisory service in German and English

### **SECTION 2: Hazards identification**

2.1 Classification of the sub Classification according to Regulation (EC) No 1272/200 Additional information:	<ul> <li>stance or mixture</li> <li>78 The product is not classified, according to the CLP regulation.</li> <li>For the wording of the listed hazard phrases refer to section 16.</li> </ul>
2.2 Label elements Hazard pictograms Signal word Hazard statements Precautionary statements	Void Void Void P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P262 Do not get in eyes, on skin, or on clothing. P271 Use only outdoors or in a well-ventilated area.
Additional information: 2.3 Other hazards	EUH210 Safety data sheet available on request. Warning: Wash out any used cloth impregnated with this product immediately after use or store in an airtight container (danger of self-ignition) Always wear a dust mask when sanding. (Contd. on page 2)



#### according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.04.2024

Version number 26.0 (replaces version 25.2)

Revision: 04.03.2024

# Trade name: Country Colour

	(Contd. of page 1)
	Observe the general safety regulations when handling chemicals.
Results of PBT and	d vPvB assessment
PBT:	Not applicable.
vPvB:	Not applicable.

#### SECTION 3: Composition/information on ingredients

3.2 Mixtures Description:	Mixture of substances listed below with nonhazardous additions.	
Dangerous componer	nts:	
CAS: 64742-48-9 EC number: 918-481-9	L <sup></sup>	25-50%
	🚸 Asp. Tox. 1, H304, EUH066	
CAS: 13463-67-7 EINECS: 236-675-5	titanium dioxide - aerodynamic diameter >10 μm	0-40%
SVHC	Not applicable.	
Additional information	<ul> <li>For the wording of the listed hazard phrases refer to section 16.</li> <li>Note 10: The classification as a carcinogen by inhalation applies only mixtures in powder form containing 1 % or more of titanium dioxide w the form of or incorporated in particles with aerodynamic diameter ≤ 2</li> </ul>	hich is in

### SECTION 4: First aid measures

4.1 Description of first aid I General information:	Take affected persons out into the fresh air.
After inhalation:	Supply fresh air; consult doctor in case of complaints.
Arter minalation.	
	In case of unconsciousness place patient stably in side position for
	transportation.
After skin contact:	Immediately wash with water and soap and rinse thoroughly.
	If skin irritation or rash occurs: Get medical advice/attention.
After eye contact:	Rinse opened eye for several minutes under running water.
After swallowing:	Rinse mouth.
_	If swallowed, seek medical advice immediately and show this container or
	label.
	Do NOT induce vomiting.
4.2 Most important sympto	ms
and effects, both acute and	1
delayed	Dizziness
4.3 Indication of any	
immediate medical attentio	n
and special treatment need	<b>led</b> If swallowed or in case of vomiting, danger of entering the lungs.
	(Contd. on page 3



#### according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.04.2024

Version number 26.0 (replaces version 25.2)

Revision: 04.03.2024

# Trade name: Country Colour

	(Contd. of page 2
SECTION 5: Firefighting	g measures
5.1 Extinguishing media	
Suitable extinguishing	
agents:	CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
For safety reasons unsuitab	le
extinguishing agents:	Water with full jet
5.2 Special hazards arising	
from the substance or	
mixture	Formation of toxic gases is possible during heating or in case of fire.
	Carbon monoxide (CO)
	carbon dioxide (CO2)
5.3 Advice for firefighters	
Protective equipment:	Mouth respiratory protective device.
	Do not inhale explosion gases or combustion gases.
	Wear self-contained respiratory protective device.
	General measures for chemical fires.
Additional information	Dispose of fire debris and contaminated fire fighting water in accordance with
	official regulations.
	Cool endangered receptacles with water spray.

### SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and	
emergency procedures	Ensure adequate ventilation
	Keep away from ignition sources.
	Wear protective clothing.
For non-emergency	
personnel	No action shall be taken involving any personal risk or without suitable training.
For emergency responders	Wear protective equipment. Keep unprotected persons away.
6.2 Environmental	
precautions:	Inform respective authorities in case of seepage into water course or sewage system.
	Do not allow to enter sewers/ surface or ground water.
6.3 Methods and material for	u u u u u u u u u u u u u u u u u u u
containment and cleaning up	b: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).
	Dispose of the material collected according to regulations.
	Dispose contaminated material as waste according to section 13.
	Ensure adequate ventilation.
	(Contd. on page 4)



#### according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.04.2024

Version number 26.0 (replaces version 25.2)

Revision: 04.03.2024

- · - · · ·	(Contd. of pa
6.4 Reference to other	
sections	See Section 7 for information on safe handling.
	See Section 8 for information on personal protection equipment.
	See Section 13 for disposal information.
SECTION 7: Handling an	d storage
7.1 Precautions for safe	
handling	Use only in well ventilated areas.
	Ensure good ventilation/exhaustion at the workplace.
	Open and handle receptacle with care.
	Prevent formation of aerosols.
General protective and	
hygienic measures:	Wash hands before breaks and at the end of work.
	Do not inhale gases / fumes / aerosols.
	Do not eat, drink, smoke or sniff while working.
	Do not carry product impregnated cleaning cloths in trouser pockets.
Information about fire - and	
explosion protection:	Keep respiratory protective device available.
Handling:	Even a small sip can lead to life-threatening damage to the lungs. Keep rag
J. J	filled with this liquid out of the reach of children.
7.2 Conditions for safe storag	e, including any incompatibilities
Storage:	
Requirements to be met by	
	Store only in the original receptacle.
Information about storage in	
one common storage facility:	Not required.
Further information about	
storage conditions:	Store receptacle in a well ventilated area.
	Keep container tightly sealed.
	Store in cool, dry conditions in well sealed receptacles.
Storage class:	VCI storage class (VCI = German Association of the Chemical Industry): 10
	10
7.3 Specific end use(s)	No further relevant information available.

#### 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

64742-48-9 aliphatic hydrocarbons, C10-C13 n-alkanes, i-alkanes, cyclics, aromatics < 2 %

TWA Short-term value: 1200 mg/m<sup>3</sup>

**CEFIC-HSPA** 

(Contd. on page 5)



### according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.04.2024

Version number 26.0 (replaces version 25.2)

rade name: Country Colour		
Additional information:	(Contd. of page 4) The lists valid during the making were used as basis.	
	The lists valid during the making were used as basis.	
8.2 Exposure controls		
Appropriate engineering		
controls	Ensure good ventilation/exhaustion at the workplace.	
Individual protection measur General protective and	es, such as personal protective equipment	
hygienic measures:	Immediately remove all soiled and contaminated clothing	
	Avoid contact with the eyes and skin.	
	The usual precautionary measures are to be adhered to when handling chemicals.	
	Do not eat, drink, smoke or sniff while working.	
	Do not carry product impregnated cleaning cloths in trouser pockets.	
	See Section 7 for information on safe handling.	
Respiratory protection:	Not necessary if room is well-ventilated.	
	Use suitable respiratory protective device only when aerosol or mist is formed.	
	In case of brief exposure or low pollution use respiratory filter device. In case	
	of intensive or longer exposure use self-contained respiratory protective	
	device.	
	Half mask with round thread connection EN 148-1 (screw-on filter) and	
	combination filter A1 - P2 according to German DIN EN 14387.	
	Use a properly fitted, air-purifying or air-fed repirator complying with an	
	approved standard if a risk assessment indicates this is necessary.	
Hand protection	Protective gloves	
	The glove material has to be impermeable and resistant to the product/ the	
	substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates	
	of diffusion and the degradation	
Material of gloves	The selection of the suitable gloves does not only depend on the material, but	
material of gioveo	also on further marks of quality and varies from manufacturer to manufacturer.	
	As the product is a preparation of several substances, the resistance of the	
	glove material can not be calculated in advance and has therefore to be	
	checked prior to the application.	
Penetration time of glove		
material	The exact break trough time has to be found out by the manufacturer of the	
	protective gloves and has to be observed.	
For the permanent contact		
gloves made of the following		
materials are suitable:	Nitrile rubber, NBR	
	Recommended thickness of the material: $\geq$ 0.4 mm	
	For the mixture the penetration time has to be at least 480 minutes	
	(Permeation according to EN 374 Part 3: Level 6).	
As protection from splashes		
gloves made of the following		
materials are suitable:	Nitrile rubber, NBR	
	(Contd. on page 6)	



### according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.04.2024

Version number 26.0 (replaces version 25.2)

	(Contd. of p	bag
Eye/face protection	If risk of splashing:	Ŭ
	Safety glasses according to EN 166:2001 (e.g. densely closing frame glas	sse
	with side protection)	
	Tightly sealed goggles	
Body protection:	Protective work clothing	
SECTION 9: Physical	and chemical properties	
9.1 Information on basic p	hysical and chemical properties	
General Information		
Physical state	Fluid	
Colour:	Different according to colouring	
Odour:	Mild	
Odour threshold:	Not determined.	
Melting point/freezing point		
Boiling point or initial boi		
range	> 180 °C	
Flammability	Not applicable.	
Lower and upper explosion		
Lower:	0.6 Vol %	
Upper:	7.0 Vol %	
Flash point:	≥ 63 °C (DIN EN ISO 2719)	
Auto-ignition temperature		
Decomposition temperatu		
pH	Mixture is non-polar/aprotic.	
Viscosity:		
Kinematic viscosity at 20		
<b>-</b> <i>i</i>	>21 mm²/s (40°C) (calculated)	
Dynamic:	Not determined.	
Solubility		
water:	Not miscible or difficult to mix.	
Dartition coofficient n act		
Partition coefficient n-oct		
Vapour pressure:	3 hPa [20°C]	
Density and/or relative de	•	
Density at 20 °C: Polativo donsity	1.05 - 1.30 g/cm³ (DIN 51757) Not determined.	
Relative density		
9.2 Other information		
Appearance:		
Form:	Fluid	



#### according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.04.2024

Version number 26.0 (replaces version 25.2)

Revision: 04.03.2024

# Trade name: Country Colour

	(Contd. of page
Important information on protection of health	and
environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Solvent content:	
VOC (EC)	< 400 g/l (VOC-max. Cat A/e (2010) = 400 g/l)
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard cla	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flamma	ble
gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

### SECTION 10: Stability and reactivity

10.1 Reactivity 10.2 Chemical stability	No further relevant information available.
Thermal decomposition / conditions to be avoided: 10.3 Possibility of hazardous	No decomposition if used and stored according to specifications.
reactions	Reacts with fabric soaked in the product (e.g. cleaning wool). Reacts with acids, alkalis and oxidising agents.
10.4 Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
10.5 Incompatible materials: 10.6 Hazardous	No further relevant information available.
decomposition products:	Formation of toxic gases is possible during heating or in case of fire. (Contd. on page 8)



### according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.04.2024

Version number 26.0 (replaces version 25.2)

	(Contd. of page Carbon monoxide and carbon dioxide Nitrogen oxides (NOx)			
Additional information:	Warning: Wash out any used cloth impregnated with this product immediately after us or store in an airtight container (danger of self-ignition)			
SECTION 11: Toxicological information				
	asses as defined in Regulation (EC) No 1272/2008			
Acute toxicity	Based on available data, the classification criteria are not met.			
LD/LC50 values relevant for c	lassification:			
64742-48-9 aliphatic hydrocar	bons, C10-C13 n-alkanes, i-alkanes, cyclics, aromatics < 2 %			
Oral LD50 >5,000 mg	g/kg (rat)			
Dermal LD50 >5,000 mg	g/kg (rat)			
Inhalative LC50 / 4h >5 mg/l (ra	at)			
Skin corrosion/irritation	Based on available data, the classification criteria are not met.			
	Based on available data, the classification criteria are not met.			
Respiratory or skin	,			
sensitisation	Based on available data, the classification criteria are not met.			
Germ cell mutagenicity	Based on available data, the classification criteria are not met.			
Carcinogenicity	Based on available data, the classification criteria are not met.			
Reproductive toxicity	Based on available data, the classification criteria are not met.			
STOT-single exposure	Based on available data, the classification criteria are not met.			
STOT-repeated exposure	Based on available data, the classification criteria are not met.			
Aspiration hazard	Based on available data, the classification criteria are not met.			
Subacute to chronic toxicity:	Based on available data, the classification criteria are not met.			
Additional toxicological	The product is not subject to classification according to the coloridation math			
information:	The product is not subject to classification according to the calculation meth of the General EU Classification Guidelines for Preparations as issued in the latest version.			
11.2 Information on other haze	ards			
Endocrine disrupting properti	ies			
None of the ingredients is listed.				
SECTION 49: Ecological	information			
SECTION 12: Ecological	IIIOIIIauofi			
12.1 Toxicity				
Aquatic toxicity:				
	bons, C10-C13 n-alkanes, i-alkanes, cyclics, aromatics < 2 %			
6/7/2_/8_9 alinhatic hydrocord	none (111-(13 n-alkanoe Laikanoe evelice aromatice / 7 %			



### according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.04.2024

Version number 26.0 (replaces version 25.2)

Revision: 04.03.2024

# Trade name: Country Colour

10 50 / 30		(Contd. of page 8
	h  >1,000 mg/l (alga	
	6h  >1,000 mg/l (fish)	
	sistence and	
degradal	•	No further relevant information available.
	accumulative	
potential		No further relevant information available.
	oility in soil	No further relevant information available.
12.5 Res	ults of PBT and vPv	/B assessment
PBT:		Not applicable.
vPvB:		Not applicable.
12.6 End	ocrine disrupting	
propertie		The product does not contain substances with endocrine disrupting properties
	er adverse effects	
	al ecological inform	
General	notes:	Water hazard class 1 (German Regulation) (Self-assessment): slightly
		hazardous for water
13.1 Was	ste treatment metho	ds
Recommendation		
кесотт	endation	Must not be disposed together with household garbage. Do not allow product to reach sewage system
кесотт	lendation	to reach sewage system.
Europea	n waste catalogue	to reach sewage system. Disposal must be made according to official regulations.
<i>Europea</i> 08 01 12	<i>n waste catalogue</i> waste paint and vari	to reach sewage system.
<i>Europea</i> 08 01 12	n waste catalogue	to reach sewage system. Disposal must be made according to official regulations.
<b>Europea</b> 08 01 12 15 01 04	<i>n waste catalogue</i> waste paint and vari	to reach sewage system. Disposal must be made according to official regulations.
<i>Europea</i> 08 01 12 15 01 04 <i>Uncleane</i>	<b>n waste catalogue</b> waste paint and vari metallic packaging	to reach sewage system. Disposal must be made according to official regulations.
<i>Europea</i> 08 01 12 15 01 04 <i>Uncleane</i> <i>Recomm</i>	<i>n waste catalogue</i> waste paint and vari metallic packaging ed packaging:	to reach sewage system. Disposal must be made according to official regulations.
<i>Europea</i> 08 01 12 15 01 04 <i>Uncleane</i> <i>Recomm</i>	n waste catalogue waste paint and vari metallic packaging ed packaging: nendation:	to reach sewage system. Disposal must be made according to official regulations. nish other than those mentioned in 08 01 11 Disposal must be made according to official regulations. Solvent naphtha
Europea 08 01 12 15 01 04 Uncleand Recomm	n waste catalogue waste paint and vari metallic packaging ed packaging: nendation:	to reach sewage system. Disposal must be made according to official regulations. nish other than those mentioned in 08 01 11 Disposal must be made according to official regulations.
Europea 08 01 12 15 01 04 Uncleand Recomm	n waste catalogue waste paint and vari metallic packaging ed packaging: nendation:	to reach sewage system. Disposal must be made according to official regulations. nish other than those mentioned in 08 01 11 Disposal must be made according to official regulations. Solvent naphtha
Europea 08 01 12 15 01 04 Uncleane Recomm Recomm agents:	n waste catalogue waste paint and vari metallic packaging ed packaging: nendation:	to reach sewage system. Disposal must be made according to official regulations. nish other than those mentioned in 08 01 11 Disposal must be made according to official regulations. Solvent naphtha Osmo Brush Cleaner and Thinner
Europea 08 01 12 15 01 04 Uncleand Recomm agents:	n waste catalogue waste paint and vari metallic packaging ed packaging: nendation: nended cleansing	to reach sewage system. Disposal must be made according to official regulations. nish other than those mentioned in 08 01 11 Disposal must be made according to official regulations. Solvent naphtha Osmo Brush Cleaner and Thinner
Europea 08 01 12 15 01 04 Uncleane Recomm agents: SECTIC	n waste catalogue waste paint and vari metallic packaging ed packaging: nendation: nended cleansing	to reach sewage system. Disposal must be made according to official regulations. nish other than those mentioned in 08 01 11 Disposal must be made according to official regulations. Solvent naphtha Osmo Brush Cleaner and Thinner
Europea 08 01 12 15 01 04 Uncleand Recomm agents: SECTIC 14.1 UN ADR, AD	n waste catalogue waste paint and vari metallic packaging ed packaging: nendation: nended cleansing	to reach sewage system. Disposal must be made according to official regulations. nish other than those mentioned in 08 01 11 Disposal must be made according to official regulations. Solvent naphtha Osmo Brush Cleaner and Thinner t information er Not applicable
Europea 08 01 12 15 01 04 Uncleand Recomm agents: SECTIC 14.1 UN ADR, AD	n waste catalogue waste paint and vari metallic packaging ed packaging: nendation: nended cleansing DN 14: Transport number or ID numb N, IMDG, IATA	to reach sewage system. Disposal must be made according to official regulations. nish other than those mentioned in 08 01 11 Disposal must be made according to official regulations. Solvent naphtha Osmo Brush Cleaner and Thinner t information er Not applicable
Europea 08 01 12 15 01 04 Uncleane Recomm agents: SECTIO 14.1 UN ADR, AD 14.2 UN	n waste catalogue waste paint and vari metallic packaging ed packaging: nendation: nended cleansing DN 14: Transport number or ID numb N, IMDG, IATA proper shipping nai	to reach sewage system. Disposal must be made according to official regulations. nish other than those mentioned in 08 01 11 Disposal must be made according to official regulations. Solvent naphtha Osmo Brush Cleaner and Thinner t information er Not applicable me
Europea 08 01 12 15 01 04 Uncleane Recomm agents: SECTIC 14.1 UN ADR, AD 14.2 UN ADR	n waste catalogue waste paint and vari metallic packaging ed packaging: nendation: nended cleansing DN 14: Transport number or ID numb N, IMDG, IATA proper shipping nai	to reach sewage system. Disposal must be made according to official regulations. nish other than those mentioned in 08 01 11 Disposal must be made according to official regulations. Solvent naphtha Osmo Brush Cleaner and Thinner t information er Not applicable me Not applicable



### according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.04.2024

Version number 26.0 (replaces version 25.2)

Not applicable
Not applicable
No
Not applicable.
ing to IMO
Not applicable.
Not applicable
l opaque woodstains ent-borne coatings, Limit value: 400 g/l 00 g/l
the ingredients is listed.
on of the use of certain hazardous substances in electrical ar
RECURSORS (Upper limit value for the purpose of licensing
PRECURSORS



### according to Regulation (EC) No 1907/2006, Article 31

Printing date 18.04.2024

Version number 26.0 (replaces version 25.2)

<sub>de name:</sub> Country Colou	<sub>le name:</sub> Country Colour			
	(Contd. of page			
Regulation (EC) No 111/2005 third countries in drug precur	laying down rules for the monitoring of trade between the Community a sors			
None of the ingredients is listed				
National regulations:				
VOC (EC) 15.2 Chemical safety	< 400 g/l (VOC-max. Cat A/e (2010) = 400 g/l)			
assessment:	A Chemical Safety Assessment has not been carried out.			
SECTION 16: Other infor	mation			
	r present knowledge. However, this shall not constitute a guarantee for any nall not establish a legally valid contractual relationship.			
Relevant phrases	H304 May be fatal if swallowed and enters airways. EUH066 Repeated exposure may cause skin dryness or cracking.			
Classification according to Regulation (EC) No 1272/2008	The classification of the mixture is generally based on the calculation methor using substance data according to Regulation (EC) No 1272/2008.			
Department issuing SDS:	product safety department			
Contact:	Hr. Dr. Starp			
Version number of previous				
version:	25.2			
Abbreviations and acronyms: Sources	<ul> <li>ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)</li> <li>IMDG: International Maritime Code for Dangerous Goods</li> <li>IATA: International Air Transport Association</li> <li>GHS: Globally Harmonised System of Classification and Labelling of Chemicals</li> <li>EINECS: European Inventory of Existing Commercial Chemical Substances</li> <li>ELINCS: European List of Notified Chemical Substances</li> <li>CAS: Chemical Abstracts Service (division of the American Chemical Society)</li> <li>VOC: Volatile Organic Compounds (USA, EU)</li> <li>LC50: Lethal concentration, 50 percent</li> <li>LD50: Lethal dose, 50 percent</li> <li>PBT: Persistent, Bioaccumulative and Toxic</li> <li>SVHC: Substances of Very High Concern</li> <li>vPvB: very Persistent and very Bioaccumulative</li> <li>Asp. Tox. 1: Aspiration hazard – Category 1</li> <li>ESIS : European chemical Substances Information System</li> </ul>			
Sources	ECHA Portal Safety data sheets from raw material suppliers			
* Data compared to the				
previous version altered.	Additions, Deletions, Revisions Updated according to regulation (EU) 2020/878 amending regulation (EC) N 1907/2006 (REACH)			